

DRE

CATALOGUE
DOORS

2021

edition1



HIGH GLOSS DOORS XTREME MATT DOORS MAT STANDARD



door leaf height 2043

door leaf height 2240

STANDARD OPTION

- » edge whitout rebate
- » door leaf coated with high gloss laminate, mat standard or Xtreme Matt
- » stiles and rails made of MDF
- » magnetic simple key lock, bathroom lock, patent insert lock or economic lock and hinges in black colour (for colours moro, mat moro, black), in white colour (for colours bianco, bianco mat, white) and steel colour for remaining colours.
- » glass pane MAT DRE 4 mm thick in ILIS 1-3
- » core made of 20 mm MDF board in ILIS 4
- » complex safe 8 mm glass pane MAT DRE in ILIS 5
- » sockets for 2 hidden concealed Estetic 80 hinges

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass 4 mm in ILIS 1 - 3
- » complex safe 8 mm glass pane transparent in ILIS 5
- » holes for ventilation sleeves
- » sliding doors - 2043 mm height

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » door leaf „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

leaf price x2

NOTE: Door leaf are equipped with sockets for hinges, prepared for future assembly. Non-rebated door frames are equiped with hinges.

Sliding system - it is possible to apply to the collection SPAZIO CD sliding system in the standard height of 2043 mm. More information on p. 10.

High gloss laminate. 0,7-0,8 mm thick, it is modern design of laminate with high degree of gloss, which gives mirror reflection effect. It is characterised by perfectly smooth surface with improved resistance for scratches.

Xtreme Matt . 0,8 mm thick it is innovative laminate with matt non-reflective structure. Xtreme Matt surface is resistant to abrasion and easy to maintain. Structure additionally was reinforced with Anti-Finger-Print feature, which protect laminate surface from finger prints and traces of grease..

Matt Standard. 0,7 - 0,8 mm thick laminate has the same features as surface of high gloss laminate. Only one difference is degree of the gloss level of hardcoat layer. Features of hardcoat layer, which surface is exactly smooth, allows to be used in rooms with the highest hygienic requirements. .



ILIS 1


ILIS 2

ILIS 3


ILIS 4

ILIS 5

STANDARD GLOSS




METALIC GLOSS



MAT STANDARD



XTREME MATT



*while stock last



door leaf height 2043

model	bianco, magnolia, moro, notte, vino	cubanit, gabbiano, bigio	mat bianco, mat concrete, mat moro	white, anthracite, black
NELLA 1-7				

door leaf height 2240

model	bianco, magnolia, moro, notte, vino	cubanit, gabbiano, bigio	mat bianco, mat concrete, mat moro	white, anthracite, black
NELLA 1-7				

STANDARD OPTION

- » edge whitout rebate
- » door leaf coated with high gloss laminate, mat standard or Xtreme Matt
- » stiles and rails made of MDF
- » magnetic simple key lock, bathroom lock, patent insert lock or economic lock and hinges in black colour (for colours moro, mat moro, black), in white colour (for colours bianco, bianco mat, white) and steel colour for remaining colours.
- » glass pane MAT DRE 4 mm thick
- » sockets for 2 hidden concealed Estetic 80 hinges

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves
- » sliding doors - 2043 mm height

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » door leaf „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

leaf price x2


NOTE: Door leaf are equipped with sockets for hinges, prepared for future assembly. Non-rebated door frames are equiped with hinges.

Sliding system - it is possible to apply to the collection SPAZIO CD sliding system in the standard height of 2043 mm. More information on p. 10.


High gloss laminate. 0,7-0,8 mm thick, it is modern design of laminate with high degree of gloss, which gives mirror reflection effect. It is characterised by perfectly smooth surface with improved resistance for scratches.

Xtreme Matt . 0,8 mm thick it is innovative laminate with matt non-reflective structure. Xtreme Matt surface is resistant to abrasion and easy to maintain. Structure additionally was reinforced with Anti-Finger-Print feature, which protect laminate surface from finger prints and traces of grease..

Matt Standard. 0,7 - 0,8 mm thick laminate has the same features as surface of high gloss laminate. Only one difference is degree of the gloss level of hardcoat layer. Features of hardcoat layer, which surface is exactly smooth, allows to be used in rooms with the highest hygienic requirements. .



STANDARD GLOSS




METALIC GLOSS



MAT STANDARD



XTREME MATT



*while stock last



door leaf height 2043

door leaf height 2240

STANDARD OPTION

- » edge whitout rebate
- » core made of perforated chipboard
- » door leaf coated with high gloss laminate, mat standard or Xtreme Matt
- » edge banding in door leaf colour
- » magnetic simple key lock, bathroom lock, patent insert lock or economic lock and hinges in black colour (for colours moro, mat moro, black), in white colour (for colours bianco, bianco mat, white) and steel colour for remaining colours.
- » sockets for 2 hidden concealed Estetic 80 hinges

OPTION WITHOUT ADDITIONAL CHARGE

- » holes for ventilation sleeves
- » sliding doors - 2043 mm height

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » edge banding pattern
- » steel ventilation sleeves
- » door leaf „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » aluminum ventilation grille
- » double leaf door
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

leaf price x2

NOTE: Door leaf are equipped with sockets for hinges, for future assembly. NON-rebated door frames are equipped with hinges. Metal BULAJ in steel or black colour - available only MAT or transparent glass pane.

Sliding system - it is possible to apply to the collection SPAZIO CD sliding system in the standard height of 2043 mm. More information on p. 10.

High gloss laminate. 0,7-0,8 mm thick, it is modern design of laminate with high degree of gloss, which gives mirror reflection effect. It is characterised by perfectly smooth surface with improved resistance for scratches.

Xtreme Matt . 0,8 mm thick it is innovative laminate with matt non-reflective structure. Xtreme Matt surface is resistant to abrasion and easy to maintain. Structure additionally was reinforced with Anti-Finger-Print feature, which protect laminate surface from finger prints and traces of grease..

Matt Standard. 0,7 - 0,8 mm thick laminate has the same features as surface of high gloss laminate. Only one difference is degree of the gloss level of hardcoat layer. Features of hardcoat layer, which surface is exactly smooth, allows to be used in rooms with the highest hygienic requirements.



SILIA 10
bianco



SILIA 10
magnolia



SILIA 10
gabbiano



SILIA 10
notte




Metal Bulaj
vino

There is possibility to choose edge banding pattern.
Available only in decor bianco.


EDGE BANDING PATTERNS



theme 1




theme 2



theme 3


STANDARD GLOSS




METALIC GLOSS



MAT STANDARD



XTREME MATT



*while stock last



door leaf height 2043

STANDARD OPTION

- » edge whitout rebate
- » door leaf coated with high gloss laminate, mat standard or Xtreme Matt
- » door leaf frame made of MDF, narrow element with constant width, wide element with variable width
- » core made of perforated chipboard
- » magnetic simple key lock, bathroom lock, patent insert lock or economic lock and hinges in black colour (for colours moro, mat moro, black), in white colour (for colours bianco, bianco mat, white) and steel colour for remaining colours.
- » complex safe MAT DRE 8 mm glass pane
- » sockets for 2 hidden concealed Estetic 80 hinges

OPTION WITHOUT ADDITIONAL CHARGE

- » complex safe transparent 8 mm glass pane
- » sliding doors - 2043 mm height
- » 8 mm black laminated glass pane

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » **NOTE:** third hinge Estetic 80 for non-rebated doors
(additional payment is added to the price of the door frame)

leaf price x2

NOTE: Door leaf are equipped with sockets for hinges, prepared for future assembly. Non-rebated door frames are equipped with hinges.

Sliding system - it is possible to apply to the collection SPAZIO CD sliding system in the standard height of 2043 mm. More information on p. 10.

High gloss laminate. 0,7-0,8 mm thick, it is modern design of laminate with high degree of gloss, which gives mirror reflection effect. It is characterised by perfectly smooth surface with improved resistance for scratches.

Xtreme Matt . 0,8 mm thick it is innovative laminate with matt non-reflective structure. Xtreme Matt surface is resistant to abrasion and easy to maintain. Structure additionally was reinforced with Anti-Finger-Print feature, which protect laminate surface from finger prints and traces of grease..

Matt Standard. 0,7 - 0,8 mm thick laminate has the same features as surface of high gloss laminate. Only one difference is degree of the gloss level of hardcoat layer. Features of hardcoat layer, which surface is exactly smooth, allows to be used in rooms with the highest hygienic requirements.



VETRO D2
bianco



VETRO D2
moro




VETRO D2
notte




VETRO D2
vino

STANDARD GLOSS




METALIC GLOSS



MAT STANDARD



XTREME MATT



*while stock last

Door handles

Sliding system SPAZIO CD mounted on-wal



door handle MEDA - shiny chrome inserts in glossy and matt colors



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



round handle



gold



gold satrin



chrome



Satin chrome



black



door handle PRISMA - shiny chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



oval handle

gold

gold satrin

black



door handle MAXIMA - brushed chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



chrome



Satin chrome



door handle ARC - black matt



backplate for simple key



backplate for cylinder lock



backplate for toilet lock

» Round handle 1 pc.
» Oval handle 1 pc.
One set of door handle for single door leaf consist of 2 pcs.


SPAZIO CD

On-wall mounted sliding system with anodized guide channel and rectangular blade. Is designated for panel doors and frame construction doors.

WHOLE SET COMPRISES OF:

- guide channel with side caps
- system sliding trolleys
- door leaf hangers
- bottom stopper
- assembly kit (screws and bolts)

To complete the system, it is necessary to purchase sliding door leaf with a handle. Handles should be purchased separately.



MODEL	price		
SPAZIO CD system			

	A	S	L
"60"	600	644	1300
"70"	700	744	1500
"80"	800	844	1700
"90"	900	944	1900
"100"	1000	1044	2100

Door leaf width: single leaf door "60" - "100".

A - width of wall passage
S - width of door leaf unit
L - length of guide channel

CONSTRUCTION

Adjustable door frame is made of high quality wood-based MDF board. On its visual side it is entirely coated with high gloss laminate or Xtreme Matt with 0,7 - 0,8 mm thickness. Its construction allows to be used with door leaf with thickness of 40 mm and its design allows to be used on walls ranging between 75-320 mm, also there is possibility for additional adjustment of + 20 mm.

Glossy laminate. 0,7-0,8 mm thick, it is laminate with high gloss, which consist of an acrylic layer and a layer of coextruded styrene copolymer.


Xtreme Matt laminate with 0,8 mm thickness is based on melamine resin with an upper layer of electron quenched function. Structure additionally was reinforced with Anti-Finger-Print feature, which protect laminate surface from finger prints and traces of fat.

Application

Adjustable non-rebated door frame coated with high gloss laminate or Xtreme Matt can be used with DRE collections: ILIS, NELLA, SILIA and VETRO D2 non-rebated door leaf.

SET CONTAINS

Main beam (one horizontal and two vertical elements) with wide angular architrave (80 mm) with small rounding angles of the cross-section profile (R2), door seal, a set of hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.



for single-leaf doors

	A	B	C	D	E
60	627	651	671	711	811
70	727	751	771	811	911
80	827	851	871	911	1011
90	927	951	971	1011	1111
100	1027	1051	1071	1111	1211

for double-leaf doors

	A	B	C	D	E
120	1274	1298	1318	1378	1458
130	1374	1398	1418	1478	1558
140	1474	1498	1518	1578	1658
150	1574	1598	1618	1678	1758
160	1674	1698	1718	1778	1858
170	1774	1798	1818	1878	1958
180	1874	1898	1918	1978	2058

Extra surcharge for the third hinge Estetic 80

Price of door frame for double leaf doors: + 50% (in the case of using 3 hinges there is additional payment)

*NOTE: 075-095 door frame has a different cross-section, for a 75-89 mm wall thickness, it will be necessary to shorten pen of the moving angular architrave.

** for door leaf dimension 2240 mm

DRE

DRE Sp. z o.o.
82-300 Elbląg - Gronowo Górne
ul. Nefrytowa 4

tel. 55 236 42 58
e-mail: dre@dre.pl, eksport@
dre.pl

www.dre.pl

