




DOOR CATALOGUE 2019

[SO 9001





folding doors FOLDE 10 - white matt

EXPLANATIONS:

- panel doors, DRE Cell veneer
 frame construction doors, DRE Cell veneer
 entrance doors, DRE Cell veneer
 technical doors, DRE Cell veneer
 panel doors, 3D veneer
 frame construction doors , 3D veneer
 entrance doors, 3D veneer
 entrance doors, 3D veneer
 panel doors, lacquered HDF board
 frame construction doors, Finish veneer
 panel doors, painted
 frame construction doors, painted
- panel doors, laminate CPL
- Frame construction doors, laminate CPL
- entrance doors, laminate CPL
- technical doors, laminate CPL
- panel doors, natural veneer
- Real frame construction doors, natural veneer
- entrance doors, natural veneer
- S glass doors
- panel doors Sara Eco
- 🚬 smoke-proof technical doors
- 🔅 fire resistant technical doors
- 🗵 anti-burglary doors

FRAME CONSTRUCTION DOORS

	Emena	5
	Ena	6
	Verano	7
	Trevi	8
	Triesta	9
	Solte	
NEW	Reva	
	Nestor	
NEW	Auri	
	Elsa	
	Fosca	
NEW	Premium	
	Piano	
	Scala	
	Sinco	
	Vetro A	
	Vetro B	
	Vetro C	
	Vetro D	

FRAME CONSTRUCTION DOORS NATURA

Vetro natura A	
Vetro natura B	
Premium natura	40
Dova natura	41
Scala A natura	42

FRAME CONSTRUCTION DOORS PAINTED

	Lexa	43
NEW	Berge	45
	Even	
	Nestor	

FRAME CONSTRUCTION DOORS LAMINATE CPL

Tixa	51
Tizano	

PANEL DOORS

Rivia	
Galeria Alu	
Aldea	
Arte B	61
Carla	63
Blanco	65
Finea and Finea B	
Deco	69
Modern	71
Kanon	73
Idea	75
Plus	
Standard	79
Rim	
Fano	
Arte	
Classic	
Ascada	
Lack	

PANEL DOORS NATURA

Duero natura Alu	88-89
Arte natura	90-91
Standard natura	92-93
Galeria natura	94-95
GALERIA natura ALU	96-97

PANEL DOORS PAINTED

Duo	
Uni	
Fargo	
Binito	

PANEL DOORS LAMINATE CPL

Г

	PANEL DOORS LAMINATE CPL		
	Standard CPL	10)6
	PANEL DOORS WITH VARIABLE HEIC	HTS	
	Standard 10	10)7
	Modern		
	Plus		
	SLIDING SYSTEM		
	Wall mounted sliding system	110-11	.1
	Glass doors sliding system wall-mounted sliding system	112-11	.3
	SPAZIO CD	114-11	5
	Sliding system doors hidden in the wall (pocket system) PA	.116-11	.7
	FOLDING DOORS		
	Folde	.118-11	.9
	DOORS WITH HIDDEN DOOR FRAM		
NEW	Sara Eco	120-12	22
	SIDE PANELS		
	Frame construction	12	23
	Panel construction		
	Side panel Natura	12	25
	TRANSOM LIGHTS AND SIDELIGHTS		
	TRANSOM LIGHTS AND SIDELIGHTS	126-12	27
	INTERIOR ENTRANCE PANEL DOORS	5	
	Enter natura		
	Accessories		
	Enter/Solid		
	SOLID RC2	134-13	55
	TECHNICAL DOORS		
NEW			
NEW			
NEW			
	GLASS DOORS	_	_
	Galla		2
	Gracca		
	Gossa	145-14	6
	Glass doors technical informations	147-14	8
	DOOR FRAMES		
	Fixed door frames	14	9
	Adjustable door frames	150-15	51
	Adjustable door frames with variable bei	ights 15	:2

Fixed door frames	149
Adjustable door frames	150-151
Adjustable door frames with variable	heights.152
Adjustable non-rebated door frames.	153
Adjustable non-rebated door frames	
with variable heights	154
Adjustable tunnel	155-156
extension panel	157-158
Hybrid steel door frames	160-161
Steel door frames	162
steel door frame	163

ACCESSORIES, ADDITIONAL INFORMATIONS

NEW	Door handles	
NEW	Veneer colours	
	Glass panes patterns	
	Architraves and skirting boards	
NEW	Ventilation accessories and other	
	Technical informations	



Emena - anthracite elm





» stiles and rails made of MDF

» glass pane MAT DRE 4 mm thick **OPTION WITHOUT ADDITIONAL CHARGE**

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

REBATED DOOR LEAF

» straight edge fig. 1 » 3 silver screw-in pivot hinges

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100'
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price

of the door frame)



cylinder lock or economic lock NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2 » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated
- door frames are equipped with hinges) » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

» single-point mortise lock for simple key, for bathroom lock, for

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges. Left door unit is mirror reflection of the right door leaf unit.



EMENA EMENA 1 EMENA 2 EMENA 3 EMENA 4 EMENA 5



- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- **OPTION WITHOUT ADDITIONAL CHARGE**
- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- leaf price x2 » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF	
 » straight edge fig. 1 » 3 silver screw-in pivot hinges » single-point mortise lock for simple key, for bathroon cylinder lock or economic lock 	n lock, for
NON-REBATED DOOR LEAF (extra charge)	
 » edge without rebate fig. 2 » sockets for 2 hidden concealed Estetic 80 hinges (no door frames are equipped with hinges) » magnetic lock for simple key, for bathroom lock, for content of the second se	

or economic lock

SLIDING SYSTEM DOOR LEAF

» edge without rebate fig. 2 » socket for hook lock and/or for handles

NOTE: It is required to use together with ENA rebated door leaf model door frames equipped with 3 hinges. .



fig. 1






6



ENA 3

ENA 5





» stiles and rails made of MDF

» glass pane MAT DRE 4 mm thick OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF	
 » straight edge fig. 1 » 3 silver screw-in pivot hinges » single-point mortise lock for simple key, for bathroom lo cylinder lock or economic lock 	ck, for
NON-REBATED DOOR LEAF (extra charge)	
 » edge without rebate fig. 2 » sockets for 2 hidden concealed Estetic 80 hinges (non-redoor frames are equipped with hinges) » magnetic lock for simple key for bathroom lock for cylin 	

» magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: It is required to use together with VERANO rebated door leaf model door frames equipped with 3 hinges.



rebate





*** decor available only in horizontal wood grain



- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: It is required to use together with TREVI rebated door leaf model door frames equipped with 3 hinges. Left door unit is mirror reflection of the right door leaf unit, reffers to TREVI 1-2.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional
- payment is added to the price of the door frame)

fig. 1	
edge	
fixed door frame	
fig. 2	
edge	
without	

rebate

TREVI 1 TREVI 2 TREVI 3 TREVI 4 TREVI 5 TREVI 6





» stiles and rails made of MDF

» glass pane MAT DRE 4 mm thick **OPTION WITHOUT ADDITIONAL CHARGE**

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100'
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)



SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: It is required to use together with TRIESTA rebated door leaf model door frames equipped with 3 hinges. Left door unit is mirror reflection of the right door leaf unit. .







*** decor available only in horizontal wood grain

9



SOLTE 3 - white mat





- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick (SOLTE 2 3)
- » flat panel insert (SOLTE 1 2)

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door » double leaf door
- leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

NOTE: It is required to use together with SOLTE rebated door leaf model door frames equipped with 3 hinges.



rebate

fig. 1




SOLTE panel







REVA 1 - vintage oak





- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat inserts (REVA 5-6)

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100'

fig. 1

edge fixed door

frame fig. 2

> edge without

rebate

- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door
 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

NOTE: It is required to use together with REVA rebated door leaf model door frames equipped with 3 hinges.



REVA 1



REVA 2

REVA 3



REVA4

3



REVA 5 1 glass pane, 5 inserts in the colour of the door leaf



REVA 6 inserts in the color of the door leaf



NESTOR 3 white pine





FREE MONDO DOOR HANDLE WITH BACKPLATE

(available only with rebated and non-rebated door leaf in NESTOR and ELSA collections in DRE-CELL and 3D decor) colour satin nickel







backplate for

cylinder lock



backplate for toilet lock

door handle MONDO - satin nickel

backplate for simple key lock



- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100'
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: It is required to use together with NESTOR rebated door leaf model door frames equipped with 3 hinges.


fig. 1	
edge fixed door frame fig. 2	
edge without rebate	



Door leaf width: single leaf door "60" ÷ "100", rebated double leaf door "120" ÷ "200", non-rebated double leaf door "120" ÷ "180". Technical information: door frames: pp. 149-154, accessories: pp. 129, 164-171 and 177, door leaf : pp. 178-186.



AURI white mat





- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat inserts (AURI 6-7)

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100'

fig. 1

edge fixed door

frame fig. 2

> edge without

rebate

- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door
 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

It is required to use together with AURI rebated door leaf model door frames equipped with 3 hinges.



17



ELSA A3 and ELSA ash



Decor 3D

FREE MONDO DOOR HANDLE WITH BACKPLATE

(available only with rebated and non-rebated door leaf in NESTOR and ELSA collections in DRE-CELL and 3D decor) colour satin nickel



or





door handle MONDO - satin nickel

backplate for simple key lock

backplate for k cylinder lock

or

backplate for toilet lock



- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat panel insert (ELSA A), profiled 19 mm MDF panels (ELSA B) **OPTION WITHOUT ADDITIONAL CHARGE**
- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100'
- » ventilation undercut

fig. 1

edge fixed door

edge without rebate

fig. 2

- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

ELSA collection is divided into A and B:

A - flat panel insert in door leaf colour

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges.






leaf price x2

cross-section of ELSA A

cross-section of ELSA B





- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat panel insert coated with silver laminate (FOSCA 1-3) or in door leaf colour (FOSCA 4-6)

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf » door leaf "90" and "100'
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door

fig. 1

edge fixed doo

edge

fig. 2

leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

NOTE: It is required to use together with FOSCA rebated door leaf model door frames equipped with 3 hinges.





FOSCA 1-3 (4mm HDF insert coated with silver laminate)



FOSCA 4-6 (4mm HDF insert coated in door leaf colour)







FOSCA 2 (1 glass pane, 4 HDF panels)



FOSCA 3 (5 HDF panels)



FOSCA 4 (3 glass panes, 2 HDF panels)



(1 glass pane, 4 HDF

panels)

FOSCA 6 (5 HDF panels)





» stiles and rails made of MDF

» glass pane MAT DRE 4 mm thick OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100'
- » ventilation undercut

fig. 1

edge fixed door

> edge without rebate

frame fig. 2

- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels. NOTE: It is required to use together with PREMIUM rebated door

leaf model door frames equipped with 3 hinges.

In PREMIUM 12 and 13 models, from the top edge there are used two glass panes.








PREMIUM, PREMIUM 1-3 (4 mm glass pane) * PREMIUM 4-7, 12 (4 mm HDF inserts in door leaf colour)

eb

** PREMIUM 8-11, 13 (4mm HDF inserts , coated with a silver laminate)






grand oak



PIANO - ebony





- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » 16 mm convex panel (PIANO 1-2, PIANO 5-6) or 19 mm convex panel (PIANO 9-12)

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100'
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door
 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

- **REBATED DOOR LEAF**
- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels. It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges.







Door leaf width: single leaf door "60"÷"100", rebated double leaf door "120" ÷ "200", non-rebated double leaf door "120" ÷ "180". Technical information: door frames: pp. 149-154, accessories: pp. 129, 164-171 and 177, door leaf : pp. 178-186.



SCALA - white matt



FREE STYLISH DOOR HANDLE WITH BACKPLATE

(available only rebated and non-rebated door leaf in SCALA collection in DRE-Cell and 3D decor) colour satin nickel



simple



- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat panel insert (SCALA A), 19 mm profiled MDF panels (SCALA B)

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100'
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional
- payment is added to the price of the door frame)

SCALA collection is divided into A and B:

fig. 1

- A flat panel insert in door leaf colour
- B convex panel insert in door leaf colour

- **REBATED DOOR LEAF**
- » straight edge fig. 1
- » 3 silver screw-in pivot hinges » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels. It is required to use together with EMENA rebated door leaf model

door frames equipped with 3 hinges.



panel SCALA A, A1-A7



panel SCALA B, B1-B7



Door leaf width: single leaf door "60" ÷ "100", rebated double leaf door "120" ÷ "200", non-rebated double leaf door "120" ÷ "180". Technical information: door frames: pp. 149-154, accessories: pp. 129, 164-171 and 177, door leaf : pp. 178-186.



SINCO niagara







- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat panels

OPTION WITHOUT ADDITIONAL CHARGE

» holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » door leaf "90" and "100" » ventilation undercut

NOTE: It is required to use together with SINCO rebated door leaf model door frames equipped with 3 hinges.

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock






SINCO SINCO A SINCO A1 SINCO A2 SINCO A3 SINCO A4 SINCO A5 SINCO A6 SINCO A7




VETRO A5 white pine




NOTE: It is possible to order non-rebated door leaf in Dre-Cell white mat colour



VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis. Horizontal cross-section of door leaf VETRO A1-A4, A12-A15



Horizontal cross-section of door leaf VETRO A5, A10 - A11







- » frame made of MDF additionally reinforced with plywood
- » core made of perforated chipboard
- » 8 mm tempered glass

OPTION WITHOUT ADDITIONAL CHARGE

- » there is possibility to make ventilation undercut (A)
- » door leaf with revers positioning of glass pane
- » VETRO A1 four possible types of glass pane: DECORMAT, DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass

REBATED DOOR LEAF

- » R5 edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF (EXTRA CHARGE 55 PLN)

ONLY WHITE MAT

- $\ensuremath{\scriptscriptstyle >}\xspace$ edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock



OPTIONS AVAILABLE WITH EXTRA CHARGE - AVAILABLE ONLY IN WHITE MAT DRE- CELL DECOR

- » non-rebated door leaf
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

ventilation undercut (A)



SLIDING SYSTEM DOOR LEAF


» edge without rebate fig. 2

» socket for hook lock and/or for handles

NOTE: Door leaf VETRO A in sliding version is not complementary product to sliding system hidden in the wall PA.

NOTE: There is no possibility to shorten door leaf.

NOTE: It is required to use together with VETRO rebated door leaf model door frames equipped with 3 hinges. VETRO A - "80"-"100" - with ventilation undercut fulfill ventilation requirements.





VETRO B1 - ebony



*** decor available only in horizontal wood grain


NOTE: It is possible to order non-rebated door leaf in Dre-Cell white mat colour


corss-section of stile in non-rebated door leaf A - milled edges



VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis..

Horizontal cross-section of VETRO B1 - B4, B12 - B15









- » frame made of MDF additionally reinforced with plywood
- » core made of perforated chipboard
- » 8 mm tempered glass

OPTION WITHOUT ADDITIONAL CHARGE

- » there is possibility to make ventilation undercut (B)
- » VETRO B1 four possible types of glass pane: DECORMAT, DECORMAT BROWN, DECORMAT GRAPHITE and transparent
- DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass
- » door leaf with revers positioning of glass pane

REBATED DOOR LEAF

- » R5 edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF (EXTRA CHARGE 55 PLN)

ONLY WHITE MAT

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock



OPTIONS AVAILABLE WITH EXTRA CHARGE - AVAILABLE ONLY IN WHITE MAT DRE- CELL DECOR

- » non-rebated door leaf
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)



VETRO B - doesnt fulfill ventilation requirements

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: Door leaf VETRO B in sliding version with "70" width is not complementary product to sliding system hidden in the wall PA.

NOTE: There is no possibility to shorten door leaf.

NOTE: It is required to use together with VETRO rebated door leaf model door frames equipped with 3 hinges. VETRO B - doesnt fulfill ventilation requirements.






VETRO C1 decormat dark walnut textured




*** decor available only in horizontal wood grain

VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version,

glass pane is rotated by 180° around the vertical axis..







- » frame with fixed width made of MDF additionally reinforced with plywood
- » core made of perforated chipboard
- » 8 mm tempered glass with different width, dependent on width of the door leaf

OPTION WITHOUT ADDITIONAL CHARGE

- » there is possibility to make ventilation undercut (C)
- » door leaf with revers positioning of glass pane

REBATED DOOR LEAF

- » R5 edge fig. 1
- » 3 silver screw-in pivot hinges

» single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: There is no possibility to shorten door leaf.

It is required to use together with VETRO door leaf model door frames equipped with 3 hinges.

VETRO C - "80"-"100" - with ventilation undercut fulfill ventilation requirements..





VETRO C1 transparent glass






VETRO C1 decormat brown




.

decormat graphite



VETRO C10





ventilation undercut (C)







VETRO D1 - elm anthracite




NOTE: It is possible to order non-rebated door leaf in Dre-Cell white mat colour

VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis..

corss-section of stile in non-rebated door leaf A - milled edges

Horizontal cross-section of VETRO D1



.





- » frame made of MDF additionally reinforced with plywood: narrow element with fixed width, wide element with different width
- » core made of perforated chipboard
- $\, {\rm *}\,$ 8 mm tempered glass with fixed width, (regardless of the door leaf width)

OPTION WITHOUT ADDITIONAL CHARGE

» door leaf with revers positioning of glass pane


REBATED DOOR LEAF

- » R5 edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF (EXTRA CHARGE 55 PLN)

ONLY WHITE MAT

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock





- » non-rebated door leaf
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: Door leaf VETRO D in sliding version is not complementary product to sliding system hidden in the wall PA.

NOTE: There is no possibility to shorten door leaf.

There is no possibility to make ventilation undercut. VETRO D - doesnt fulfill ventilation requirements. NOTE: It is required to use together with VETRO rebated door leaf model door frames equipped with 3 hinges.








VETRO natura A3 - dark walnut



Horizontal cross-section of door leaf VETRO A1-A4, A12-A15



Horizontal cross-section of door leaf VETRO A5, A10 - A11



VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version,

glass pane is rotated by 180° around the vertical axis..

matt side of glass with pattern



VETRO NATURA A REBATED DOOR LEAF interior door leaf

STANDARD OPTION

- » frame made of MDF additionally reinforced with plywood
- » core made of perforated chipboard
- » 8 mm tempered glass
- » natural veneer

OPTION WITHOUT ADDITIONAL CHARGE

- » there is possibility to make ventilation undercut (A)
- » door leaf with revers positioning of glass pane
- » VETRO A1 four possible types of glass pane: DECORMAT, DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: Door leaf VETRO A in sliding version is not complementary product to sliding system hidden in the wall PA.

NOTE: There is no possibility to shorten door leaf. It is required to use together with VETRO door leaf model door frames equipped with 3 hinges.

VETRO A - "80"-"100" - with ventilation undercut fulfill ventilation requirements.

NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint.




fig. 1

edge fixed door frame fig. 2


> edge without rebate




VETRO natura B15 - dark walnut



Horizontal cross-section of B1-B4, B12-B15



Horizontal cross-section of VETRO B5, B10-B11



VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of

glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis.



- » frame made of MDF additionally reinforced with plywood
- » core made of perforated chipboard
- » 8 mm tempered glass
- » natural veneer

OPTION WITHOUT ADDITIONAL CHARGE

- » there is possibility to make ventilation undercut
- » door leaf with revers positioning of glass pane
- » VETRO B1 four possible types of glass pane: DECORMAT, DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: Door leaf VETRO B in sliding version with "70" width is not complementary product to sliding system hidden in the wall PA.

NOTE: There is no possibility to shorten door leaf. It is required to use together with VETRO door leaf model door frames equipped with 3 hinges.

VETRO B - doesnt fulfill ventilation requirements.

NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint.



fig. 1

edge fixed door frame fig. 2

> edge without rebate

Door leaf width: single leaf door "70"÷",100" and double leaf door "140" ÷ "200". Technical information: door frames: pp. 149-154, accessories: pp. 129, 164-171 and 177, door leaf : pp. 178-186.



- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » natural veneer

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

NOTE: It is required to use together with PREMIUM rebated door leaf model door frames equipped with 3 hinges.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

fig. 1	
edge fixed door frame fig. 2	
edge without	

rebate

NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint.



PREMIUM natura PREMIUM 1 natura PREMIUM 2 natura PREMIUM 3 natura







- » stiles and rails made of MDF
- $\ensuremath{\scriptscriptstyle >}\xspace$ glass pane MAT DRE 4 mm thick
- » natural veneer

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional
- payment is added to the price of the door frame)

- REBATED DOOR LEAF
- » straight edge fig. 1
- $\scriptstyle >$ 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

It is required to use together with DOVA rebated door leaf model door frames equipped with 3 hinges.




fig. 1

NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint.







- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » natural veneer
- » flat panels

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- $\ensuremath{\mathsf{*}}$ » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

» edge without rebate fig. 2

oak light

» socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
 » NOTE: third hinge Estetic 80 for non-rebated doors (additional
- payment is added to the price of the door frame)

fig. 1	
edge fixed door frame fig. 2	
edge	

rebate



NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint.

NOTE: Door handle and backplate must be purchased separately.









SCALA A7 natura

SCALA natura



- » door leaf painted with acrylic UV varnish
- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- NON-REBATED DOOR LEAF (extra charge)
- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: it is required to use together with LEXA rebated door leaf model door frames equipped with 3 hinges.

fig. 1	
edge fixed door frame fig. 2	
edge without rebate	



panel LEXA

To ensure the highest quality of painted products, before painting porcess, both, door leaf and door frames are coated with special material which constitues solid base.





white acrylic UV varnisch - RAL 9003 ecru - RAL 9001 latte - Flugger 4362, NCS S1505-Y50R ashen - RAL 7035



BERGE 6 - white

Decor



white acrylic UV varnisch - RAL 9003 ecru - RAL 9001 latte - Flugger 4362, NCS S1505-Y50R ashen - RAL 7035



- » door leaf painted with acrylic UV varnish
- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

REBATED DOOR LEAF

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)
- » straight edge fig. 1 » 3 silver screw-in pivot hinges » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock NON-REBATED DOOR LEAF (extra charge) fig. 2 » edge without rebate fig. 2 » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges) » magnetic lock for simple key, for bathroom lock, for cylinder lock edge without or economic lock rebate SLIDING SYSTEM DOOR LEAF » edge without rebate fig. 2 » socket for hook lock and/or for handles

NOTE: It is required to use together with BERGE rebated door leaf model door frames equipped with 3 hinges.



fig. 1

To ensure the highest quality of painted products, before painting porcess, both, door leaf and door frames are coated with special material which constitues solid base.





EVEN - gray

Decor



white acrylic UV varnisch - RAL 9003 ecru - RAL 9001 latte - Flugger 4362, NCS S1505-Y50R ashen - RAL 7035



- » door leaf painted with acrylic UV varnish
- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF	fig. 1
 » straight edge fig. 1 » 3 silver screw-in pivot hinges » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock 	edge fixed door
NON-REBATED DOOR LEAF (extra charge)	frame fig. 2
 » edge without rebate fig. 2 » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges) » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock 	edge without rebate
SUDING SYSTEM DOOR LEAF	repate

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: It is required to use together with rebated door leaf door frames equipped with 3 hinges.

To ensure the highest quality of painted products, before painting porcess, both, door leaf and door frames are coated with special material which constitues solid base.





NESTOR 3 - ashen





white acrylic UV varnisch - RAL 9003 ecru - RAL 9001 latte - Flugger 4362, NCS S1505-Y50R ashen - RAL 7035



- » door leaf painted with acrylic UV varnish
- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

NOTE: It is required to use together with NESTOR rebated door leaf model door frames equipped with 3 hinges.

OPTIONS AVAILABLE W	VITH EXTRA CHARGE
----------------------------	-------------------

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)




rebate



leaf price x2

NESTOR

To ensure the highest quality of painted products, before painting porcess, both, door leaf and door frames are coated with special material which constitues solid base.





TIXA - welsh oak





- » rails made of softwood and MDF board » glass pane MAT DRE 4 mm thick
- **OPTION WITHOUT ADDITIONAL CHARGE**
- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100" » ventilation undercut
- ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional
- payment is added to the price of the door frame)


REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: it is required to use together with TIXA door leaf model door frames equipped with 3 hinges.







TIZANO 1 - welsh oak





- » rails made of softwood and MDF board » glass pane MAT DRE 4 mm thick
- **OPTION WITHOUT ADDITIONAL CHARGE**
- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)


REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: It is required to use together with TIZANO rebated door leaf model door frames equipped with 3 hinges.







RIVIA 10 - white mat / vintage oak





- » door leaf frame made of softwood
- » core made of perforated chipboard
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat uniform glazing bar fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat uniform glazing bar , rys. 2 » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated
- door frames are equipped with hinges) » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat uniform glazing bar fig. 2
- » socket for hook lock and/or for handles

NOTE: Door leaf is coated with decor white mat. There is possibility to choose middle stripe in the selected decor. Edgeband is in the colour of selected decor. RIVIA 50 - BULAJ is coated with silver laminate.

*** In RIVIA 70 and 120 model, colour of the selected decor has vertical wood grain, except of decor gray oak texture. In remaining models decors have horizontal wood grain.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf)
- RIVIA 20, 30
- **RIVIA 40, 50**
- » non-rebated door leaf
- » door leaf "90" and "100" » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)




flat uniform



flat uniform

rebate





ALU 20 GALLERY - black textured



*** decor available only in horizontal wood grain



- » door leaf frame made of softwood
- » core made of perforated chipboard
- » aluminum marquetry elements with cross-section 8x2mm
- » glass pane white bark 4 mm thick
- **OPTION WITHOUT ADDITIONAL CHARGE** » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf) GALERIA ALU 11, 13, 23 GALERIA ALU 21 GALERIA ALU 24, 25 GALERIA ALU 12, 22
 » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door
 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

- REBATED DOOR LEAF
- » straight edge, flat glazing bar fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock


NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF


- » edge without rebate, flat glazing bar fig. 2
- » socket for hook lock and/or for handles

NOTE: Passive door leaf GALERIA ALU 20,21,22,23,24,25,60 are not equipped with aluminum marquetry elements in uniform wood grain..





aluminium marquetry elements with cross-section 8x2 mm installed on both sides in one surface of door leaf



Door leaf width: single leaf door "60"÷"100", rebated double leaf door "120" ÷ "200", non-rebated double leaf door "120" ÷ "180". Technical information: door frames: pp. 149-154, accessories: pp. 129, 164-171 and 177, door leaf : pp. 178-186.



ALDEA 20 american walnut



*** decor available only in horizontal wood grain



leaf price x2

STANDARD OPTION

- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar, 19 mm MDF profiled panels fig. 1
 » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels fig. 2
- » socket for hook lock and/or for handles



OPTIONS AVAILABLE WITH EXTRA CHARGE

» cover-up strip for double leaf non-rebated door

» NOTE: third hinge Estetic 80 for non-rebated doors (additional

GRAPHITE, (applies to door leaf)

» core made of perforated chipboard

ALDEA 20 ALDEA 30

ALDEA 40

ALDEA 50

ALDEA 60

» non-rebated door leaf
 » door leaf "90" and "100"
 » ventilation undercut
 » plastic ventilation grille
 » aluminum ventilation grille

» double leaf door

» glass pane MAT DRE, DECORMAT BROWN, DECORMAT





edge without rebate

59



ARTE B 40 vintage oak



*** decor available only in horizontal wood grain



- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT
- GRAPHITE, (applies to door leaf) ARTE B 10-30
- ARTE B 40, 50
- ARTE B 60
- » core made of perforated chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- leaf price x2 » double leaf door » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF


- » straight edge, flat glazing bar fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat glazing bar, fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar fig. 2
- » socket for hook lock and/or for handles





ARTE B 10

ARTE B 20

ARTE B 30

ARTE B 40

ARTE B 50



ARTE B 60



CARLA 10 grand oak



*** decor available only in horizontal wood grain



leaf price x2

STANDARD OPTION

- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar, 19 mm MDF profiled panels fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels fig. 2
- » socket for hook lock and/or for handles



OPTIONS AVAILABLE WITH EXTRA CHARGE

» cover-up strip for double leaf non-rebated door

payment is added to the price of the door frame)

» NOTE: third hinge Estetic 80 for non-rebated doors (additional

GRAPHITE (applies to door leaf)

» core made of perforated chipboard

CARLA 20

CARLA 30


CARLA 40

» non-rebated door leaf

» double leaf door

» door leaf "90" and "100" » ventilation undercut » plastic ventilation grille » aluminum ventilation grille

» glass pane MAT DRE, DECORMAT BROWN, DECORMAT









BLANCO 110 with mirror - white mat

Decor DRE-Cell

white mat



- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick
- » 8 mm complex mirror in BLANCO 110

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT
 - GRAPHITE (applies to door leaf) BLANCO 10, 80
- BLANCO 20-40 BLANCO 50
- BLANCO 60, 100
- **BLANCO 70**
- **BLANCO 90**
- » non-rebated door leaf
- » core made of perforated chipboard
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille » cover-up strip for double leaf non-rebated door

payment is added to the price of the door frame)

- » double leaf door
- leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional

REBATED DOOR LEAF


- » straight edge, flat uniform glazing bar fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)


- » edge without rebate, flat uniform glazing bar fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat uniform glazing bar fig. 2
- » socket for hook lock and/or for handles









FINEA 40 vintage oak





- » door leaf frame made of softwood
- » core made of perforated chipboard
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) FINEA 20, FINEA B 20 FINEA 30, 50, 60, FINEA B 30, 50, 60
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut » plastic ventilation grille
- » aluminum ventilation grille
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge, flat glazing bar fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar fig. 2
- » socket for hook lock and/or for handles





rebate

glazing

flat



* FINEA B panels available only with horizontal wood grain



FINEA B 50*



FINEA B 60*



panels wood grain in FINEA



panels horizontal wood grain **FINEA B**



DECO 20 - toffee oak



* decor is not available in door leaf model with "karnies" edge *** decor available only in horizontal wood grain





- » door leaf frame made of softwood
- » edge with radius R 2,5 mm used in 0,15-0,20 mm CPL laminates
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick
- » flat 4mm HDF panel in DECO 40

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » optional: straight edge, flat glazing bar fig. 1 or "karnies" edge, rounded glazing bar fig. 2
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » rounded glazing bar, straight edge coated with 1,5 mm edgeband or edge with radius R 2,5 mm finished with method of directforming (in CPL laminate) fig. 5

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat glazing bar fig. 3
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » edge without rebate, rounded glazing bar (in CPL laminate) fig. 6 SLIDING SYSTEM DOOR LEAF

- » edge without rebate and optional: flat glazing bar fig.3 or rounded glazing bar fig. 4
- » socket for hook lock and/or for handles
- » edge without rebate, rounded glazing bar (in CPL laminate) fig. 6



without rebate

glazing

rounde

OPTIONS AVAILABLE WITH EXTRA CHARGE

GRAPHITE (applies to door leaf) DECO 10-30

» cover-up strip for double leaf non-rebated door

payment is added to the price of the door frame)

edgeband in CPL laminates

» non-rebated door leaf

» ventilation undercut

» double leaf door

» door leaf "90" and "100"

» plastic ventilation grille

» aluminum ventilation grille

» core made of perforated chipboard

» straight edge and edge without rebate finished with 1,5 mm

» glass pane MAT DRE, DECORMAT BROWN , DECORMAT

» NOTE: third hinge Estetic 80 for non-rebated doors (additional



25x19 mm	
glazing bar rounded	

Q

glazing bar rounded

edge R 2,5

leaf price x2



DECO 10 DECO 20 DECO 30

without rebate

glazing

flat



DECO 40

R 2,5 edge

edge R 2,5 mm in CPL laminate



MODERN 10 - white pine



* decor is not available in door leaf model with "karnies" edge *** decor available only in horizontal wood grain



- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » optional: straight edge, flat glazing bar, flat 4 mm HDF panels fig. 1 or "karnies" edge, rounded glazing bar, profiled 19 mm MDF panels fig. 2
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat glazing bar, flat 4 mm HDF panels fig. 3
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate and optional: flat glazing bar, flat 4 mm HDF panels fig. 3 or rounded glazing bar, profiled 19 mm MDF panels fig. 4
- » socket for hook lock and/or for handles





- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf) MODERN 20 MODERN 30
- MODERN 30 MODERN 40
- MODERN 50

fig. 1 (TOP)

- » core made of perforated chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door
 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)











MODERN 10 MODERN 20 MODERN 30 MODERN 40 MODERN 50



CANON 10 - American walnut



* decor is not available in door leaf model with "karnies" edge *** decor available only in horizontal wood grain



- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » optional: straight edge, flat glazing bar, flat 4 mm HDF panels fig. 1 or "karnies" edge, rounded glazing bar, profiled 19 mm MDF panels fig. 2
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar, flat 4 mm HDF panels fig. 3
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF


- » edge without rebate and optional: flat glazing bar, flat 4 mm HDF panels fig. 3 or rounded glazing bar, profiled 19 mm MDF panels fig. 4
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf) KANON 20 KANON 30
- KANON 40
- » core made of perforated chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

fig. 1 (TOP) bar glazing flat edge fixed door frame flat panel









profiled 19 mm panel

leaf price x2



KANON 10

KANON 20

KANON 30





IDEA 30 - gray textured



* decor is not available in door leaf model with "karnies" edge *** decor available only in horizontal wood grain



- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) IDEA 20, 40, 50, 70, 80 IDEA 30, 90, 100, 110, 120 IDEA 60
- » core made of perforated chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » optional: straight edge, flat glazing bar, flat 4 mm HDF panels fig. 1 or "karnies" edge, rounded glazing bar, profiled 19 mm MDF panels fig. 2
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar, flat 4 mm HDF panels fig. 3
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock


SLIDING SYSTEM DOOR LEAF

- » edge without rebate and optional: flat glazing bar, flat 4 mm HDF panels fig. 3 or rounded glazing bar, profiled 19 mm MDF panels fig. 4
- » socket for hook lock and/or for handles















IDEA 80

IDEA 90

IDEA 120



PLUS 30 - white matt



* decor is not available in door leaf model with "karnies" edge *** decor available only in horizontal wood grain



- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » optional: straight edge, flat glazing bar, flat 4 mm HDF panels fig. 1 or "karnies" edge, rounded glazing bar, flat 4 mm HDF panels fig. 2
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat glazing bar, flat 4 mm HDF panels fig. 3
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

» edge without rebate, flat 4 mm HDF panels and optional: flat glazing bar, fig. 3 or rounded glazing bar fig. 4

» socket for hook lock and/or for handles



flat

OPTIONS AVAILABLE WITH EXTRA CHARGE

GRAPHITE (applies to door leaf) PLUS 20

» cover-up strip for double leaf non-rebated door

payment is added to the price of the door frame)

» core made of perforated chipboard

PLUS 40, 50, 60, 70, 80

» non-rebated door leaf

» ventilation undercut
 » plastic ventilation grille
 » aluminum ventilation grille

» double leaf door

» door leaf "90" and "100"


PLUS 30

» glass pane MAT DRE, DECORMAT BROWN, DECORMAT

» NOTE: third hinge Estetic 80 for non-rebated doors (additional







frame





flat panel

leaf price x2

PLUS 10 PLUS 20 PLUS 40 PLUS 30 PLUS 50 PLUS 50 PLUS 50 PLUS 50 PLUS 50 PLUS 50

PLUS 70

PLUS 80

Door leaf width: single leaf door "60"÷"100", rebated double leaf door "120" ÷ "200", non-rebated double leaf door "120" ÷ "180". Technical information: door frames: pp. 149-154, accessories: pp. 129, 164-171 and 177, door leaf : pp. 178-186.



STANDARD 10 and STEEL BULAJ - sand oak



* decor is not available in door leaf model with "karnies" edge *** decor available only in horizontal wood grain



- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF


- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat glazing bar fig.3
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate and optional: flat glazing bar fig. 3 or
- rounded glazing bar fig.4
- » socket for hook lock and/or for handles






- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) STANDARD 20, 20s, 40, 40s, BULAJ MDF
- STANDARD 50, 50s
- STANDARD 30, 30s
- STANDARD 60
- » core made of perforated chipboard
- » non-rebated door leaf
- » door leaf "90" and "100" » rebated door leaf "110" (only STANDARD 10)
- » additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door door leaf price x 2
- » there is possibility to purchase steel bulaj separately
 » NOTE: third hinge Estetic 80 for non-rebated doors (additional
- payment is added to the price of the door frame)







steel BULAJ (available only MAT or transparent glass pane)

made of perforated

chipboard and fixed door frame)



RIM 20 - bleached oak textured



*** decor available only in horizontal wood grain



- » reinforced door leaf frame
- » core made of perforated chipboard
- » 8 mm tempered glass decormat

OPTION WITHOUT ADDITIONAL CHARGE

» glass pane DECORMAT BROWN, DECORMAT GRAPHITE or transparent glass pane

» ventilation sleeves REBATED DOOR LEAF

- » straight edge fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF RIM 10 AND RIM 20 (EXTRA CHARGE)

- » edge without rebate, fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: In RIM colletion, non-rebated version of door leaf, is only available with models RIM 10 and RIM 20.

* only rebated door leaf

NOTE: It is required to use together with RIM rebated door leaf model door frames equipped with 3 hinges.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf "90" and "100" RIM 10
- RIM 20 RIM 30
- » non-rebated door leaf
- » plastic ventilation grille
- » aluminum ventilation grille
- » ventilation undercut
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

fig. 1	
L	
edge	
fixed door	
frame	
fig. 2	



edge without rebate

NOTE: Glass panes in RIM collection have obverse and reverse sides. When choosing a reverse version, glass pane is rotated by 180 O around the vertical axis. Glass pane in RIM models doesnt adhere to gasket..



REBATED AND NON-REBATED DOOR LEAF interior door leaf



STANDARD OPTION

- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » "karnies" edge, rounded glazing bar, profiled 19mm MDF panel fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar or flat glazing bar, profiled 19 mm MDF panel fig. 3
- » socket for hook lock and/or for handles



- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) FANO 20, 20s FANO 30, 30s
- » core made of perforated chipboard
- » door leaf "90" and "100"
- » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille

flat

- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional
- payment is added to the price of the door frame)

fig. 1 G $\overline{}$ edge "karnies" bar profiled 19 glazing rounded mm panel fig. 2 fig. 3 edge without rebate profiled 19 profiled 19 bar edge without rebate bar bar mm pane glazing glazing glazing flat mm panel

rounded



FANO 10

FANO 20

FANO 20s

FANO 30

FANO 30s





- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » "karnies" edge, rounded glazing bar fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock


SLIDING SYSTEM DOOR LEAF

» edge without rebate, rounded glazing bar or flat glazing bar fig. 3 » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) ARTE 10-30, 90 ARTE 40, 50 ARTE 80
- » core made of perforated chipboard
- » door leaf "90" and "100" » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- leaf price x2 » double leaf door » NOTE: third hinge Estetic 80 for non-rebated doors (additional

payment is added to the price of the door frame)











ARTE 50

ARTE 80

ARTE 90







- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) CLASSIC 20, 20s CLASSIC 30, 30s
- » core made of perforated chipboard
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille » double leaf door

leaf price x2

REBATED DOOR LEAF

- » "karnies" edge, plastic glazing bar fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- SLIDING SYSTEM DOOR LEAF
- » edge without rebate, plastic glazing bar fig. 2
- » socket for hook lock and/or for handles



fig. 1











- » door leaf frame made of MDF
- » core made of "honeycomb" » lacquered HDF board
- » glass pane MAT DRE 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » optional: "karnies" edge fig. 1 or straight fig. 2
- » rounded glazing bar, flat 4 mm HDF board
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: Due to different manufacturing technology:

- » ASCADA door leaf lacquered HDF board
- » door frames, architraves, Finish quarter rounds which are coated with Finish decor
- » door leaf edges edge banding
- » glazing bars, flat 4 mm HDF boards coated with Finish decor.
- There are colour differences between those elements.



» door leaf "90" and "100"

» plastic ventilation grille » ventilation undercut



OPTIONS AVAILABLE WITH EXTRA CHARGE



frame



ASCADA 10 ASCADA 20 ASCADA 30 ASCADA 40 ASCADA 50 ASCADA 60









- » door leaf frame made of MDF
- » core made of "honeycomb" » lacquered HDF board
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » optional: "karnies" edge **fig. 1** or straight **fig. 2** » rounded glazing bar (LACK 20, 30, 40, 40s, 50, 50s) or plastic
- glazing bar (LACK 20s, 30s)
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: Due to different manufacturing technology:

- » door leaf LACK lacquered HDF board
- » door frames, architraves, Finish quarter rounds which are coated with Finish decor
- » door leaf edges edge banding
- There are colour differences between those elements.



edge "karnies'





rounded











OPTIONS AVAILABLE WITH EXTRA CHARGE

» glass pane MAT DRE (applies to door leaf) LACK 20, 20s, 40, 40s

LACK 30, 30s

- LACK 50, 50s
- » core made of : perforated chipboard LACK 10 » door leaf "90" and "100"
- » additional upper single point mortise lock (available only in LACK 10 door leaf model with core made of perforated chipboard and fixed door frame)
- » plastic ventilation grille
- » ventilation undercut

optional:



additional upper single point mortise lock LACK 10 door leaf model with core made of perforated chipboard and fixed door . frame.







DUERO natura ALU 60 oak





leaf price x2

STANDARD OPTION

- » door leaf frame made of softwood
- » core made of perforated chipboard
- » natural veneer secured with UV varnish
- » aluminum marquetry elements with cross section 8X2 mm OPTION WITHOUT ADDITIONAL CHARGE

» holes for ventilation sleeves

» three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- NON-REBATED DOOR LEAF (EXTRA CHARGE)

» edge without rebate fig. 2

- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles


In DUERO Natura ALU there is monochromatic , uniform, horizontal wood grain.

NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf "90" and "100"
- » ventilation undercut
- » non-rebated door leaf
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)





Door leaf width: single leaf door "60" ÷ "100", double leaf door "120-200", double non-rebated door leaf "120" ÷ "180". Technical information: door frames: pp. 149-158, accessories: pp. 129, 164-171 and 177, door leaves: pp. 178-186.



ARTE natura 90 - birch





- » door leaf frame made of softwood
- » core made of "honeycomb"
- » natural veneer secured with UV varnish
- » 4 mm glass pane "window blind"

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "white bark"
- » holes for ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, rounded glazing bar, fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, rounded glazing bar fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar fig. 2
- » socket for hook lock and/or for handles

NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint.

ARTF natura 10







ARTE natura 40



ARTE natura 50



ARTE natura 80

ARTE natura 90

leaf price x2



- » glass pane MAT DRE or DECORMAT BROWN (applies to door leaf) ARTE natura 10-30, 90
- ARTE natura 40, 50 ARTE natura 80
- » core made of perforated chipboard
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » non-rebated door leaf

G

bar glazing

rounded

bar glazing

rounded

fig. 1

edge fixed door

frame

edge without rebate

fig. 2

- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

Door leaf width: single leaf door "60" ÷ "100", double leaf door "120-200", double non-rebated door leaf "120" ÷ "180". Technical information: door frames: pp. 149-158, accessories: pp. 129, 164-171 and 177, door leaves: pp. 178-186.



- » door leaf frame made of softwood
- » core made of "honeycomb"
 » natural veneer secured with UV varnish
- » 4 mm glass pane "window blind"

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "white bark"
- » holes for ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, rounded glazing bar, fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar fig. 2
- » socket for hook lock and/or for handles



the accepted complaint.

NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of









OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN or DECORMAT GRAPHITE (applies to door leaf) STANDARD natura 20, 20s, 40, 40s, BULAJ natura MDF STANDARD natura 30, 30s
 - STANDARD natura 50, 50s
- STANDARD natura 60
- » core made of perforated chipboard
- » door leaf "90" and "100"
- » rebated door leaf "110" (only STANDARD natura 10) 60 PLN | 73.80 PLN
- » ventilation undercut
- » additional upper single point mortise lock (A) (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)
- » plastic ventilation grille
- » aluminum ventilation grille
- » non-rebated door leaf
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » there is possibility to purchase BULAJ separately
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)



Additionall upper lock (available only in STANDARD natura 10 door leaf model with core made of perforated chipboard and fixed door frame)



steel BULAJ (available only MAT or transparent glass pane)



leaf price x2





leaf price x2

STANDARD OPTION

- » door leaf frame made of softwood
- » core made of perforated chipboard
- » natural veneer secured with UV varnish
- » 4 mm glass pane MAT DRE (in models 11,12,21,22,23,51) **OPTION WITHOUT ADDITIONAL CHARGE**
- » glass pane "window blind" or decormat brown
- » holes for ventilation sleeves
- » three hinges applies to rebated door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » non-rebated door leaf
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF


- » straight edge, rounded glazing bar, fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)


- » edge without rebate, rounded glazing bar fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar fig. 2
- » socket for hook lock and/or for handles



glazing rounded





GALERIA natura 10

GAI FRIA natura 20



natura 50





GALERIA Natura passive door leaf 20, 21, 22, 23, are made without horizontal marquetries, and they are coated with uniform wood grain.

In sliding version of double leaf door GALERIA natura 20, 21, 22, 23, there might be noted differences in the relative positions of horizontal stripes at the corresponding heights of the leaf.


Door leaf coated with dark natural veneer have stripes in birch colour. Door leaf coated with light natural veneer have stripes in wenge colour.

NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint.

bleached oa

birch

beech



oak light

veneer natural

ebony

dark walnut

wenge



- » door leaf frame made of softwood
- » core made of perforated chipboard
- » natural veneer secured with UV varnish
- » aluminum marquetry elements with cross-section 8 x 2 mm
- » 4 mm glass pane MAT DRE (available in models 11-13 and 21-25)

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "window blind" or decormat brown
- » holes for ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, rounded glazing bar, fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, rounded glazing bar fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar fig. 2
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf "90" and "100"
- » ventilation undercut
- » non-rebated door leaf
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

ebony







veneer natural






Galeria Natura Alu are coated with veneer in uniform, monochromatic wood grain.

GALERIA Natura Alu passive door leaf 20, 21, 22, 23, 24, 25 and 60 are made without horizontal marquetries, and they are coated with uniform wood grain.


In sliding version of double leaf door GALERIA Natura Alu .20, 21, 22, 23, 24, 25 i 60, there might be noted differences in the relative positions of horizontal stripes at the corresponding heights of the leaf.


NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint.













- » Door leaf surface painted with white acrylic varnish with strengthened resistance to abrasion
- » door leaf frame made of MDF
- » core made of "honeycomb"
 » glass pane MAT DRE 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » white ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF


- » "karnies" edge, rounded glazing bar fig.1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: Door leaf surface is painted in white, selected colour applies to glazing bars and door leaf edge. It is reccomended to order door frame in this selected colour.



edge karnies

bar glazing rounded




OPTIONS AVAILABLE WITH EXTRA CHARGE

- » core made of perforated chipboard » door leaf "90" and "100" » ventilation undercut
- » plastic ventilation grille



UNI 10 - ashen



white acrylic UV varnisch - RAL 9003 ecru - RAL 9001 latte - Flugger 4362, NCS \$1505-Y50R ashen - RAL 7035



- » door leaf painted with acrylic UV varnish
- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick
- **OPTION WITHOUT ADDITIONAL CHARGE**
- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf BULAJ MDF)
- » core made of perforated chipboard » door leaf "90" and "100"
- » ventilation undercut
- » non-rebated door leaf
- » cover-up strip for double leaf non-rebated door
- » plastic ventilation grille
- » aluminum ventilation grille
- » double leaf door
- » there is possibility to purchase steel BULAJ separately
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

fig. 1	
edge fixed door frame fig. 2	
edge without	



leaf price x2

steel BULAJ (available only MAT or transparent glass pane)





FARGO 10 - ashen

Decor



white acrylic UV varnisch - RAL 9003 ecru - RAL 9001 latte - Flugger 4362, NCS S1505-Y50R ashen - RAL 7035



- » door leaf painted with acrylic UV varnish
- » door leaf frame made of softwood
- » core made of "honeycomb"

OPTION WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves
- » three hinges applies to rebated door leaf

NOTE: To ensure highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitues solid base.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf "90" and "100"
- » core made of perforated chipboard
- » ventilation undercut
- » non-rebated door leaf
- » cover-up strip for double leaf non-rebated door
- » plastic ventilation grille
- » aluminum ventilation grille
- » double leaf door » NOTE: third hinge Estetic 80 for non-rebated (
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

fig. 1	
edge fixed door frame	
fig. 2	
edge without rebate	



leaf price x2

type of the milling in FARGO collection





BINITO 21 white acrylic UV lacquer





white acrylic UV varnisch - RAL 9003 ecru - RAL 9001 latte - Flugger 4362, NCS S1505-Y50R ashen - RAL 7035



- » door leaf painted with acrylic UV varnish
- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick
- **OPTION WITHOUT ADDITIONAL CHARGE**
- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

NOTE: To ensure highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitues solid base.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT **GRAPHITE BINITO 11, 23**
- **BINITO 21, 100**
- BINITO 24, 110
- » door leaf "90" and "100"
- » core made of perforated chipboard
- » ventilation undercut
- » non-rebated door leaf
- » cover-up strip for double leaf non-rebated door
- » plastic ventilation grille » aluminum ventilation grille
- » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

REBATED DOOR LEAF


- » straight edge, flat glazing bar fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat glazing bar fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar fig. 2
- » socket for hook lock and/or for handles





leaf price x2

types of milling in BINITO collection



Door leaf width: single leaf door "60" ÷ "100", rebated double leaf door "120" ÷ "200", non-rebated double leaf door "120" ÷ "180". Technical information: door frames: pp. 149-154, accessories: pp. 129, 164-171 and 177, door leaf : pp. 178-186.



- » edge with radius R 2,5 mm
- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick
- » CPL laminate 0,15 0,2 mm or 0,7 0,8 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves
- » three hinges applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge coated with edge band 1,5 mm thick or edge with radius R 2,5 mm finished with method of directforming fig. 1
- » 2 silver screw-in pivot hinges » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, rounded glazing bar fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- $\ensuremath{\scriptscriptstyle >}\xspace$ magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF


- » edge without rebate, rounded glazing bar fig. 2
- » socket for hook lock and/or for handles

NOTE: colours equivalent: W0118 - WHITE LIGHT GRAY; RAL=7047

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » straight edge and edge without rebate in CPL laminate is coated with edgeband 1,5 mm thick
- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) STANDARD 20, BULAJ MDF **STANDARD 60**
- » core made of perforated chipboard
- » door leaf "90" and "100" » door leaf "110" (available only in STANDARD 10)
- » non-rebated door leaf
- » Additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » ventilation undercut
- » double leaf door
- » there is possibility to purchase BULAJ separately
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

There is available 0,7 - 0,8 mm CPL laminate- to place an order and for more information please contact Customer Service Department.











BULAJ MDF



steel BULAJ

steel BULAJ (available only

leaf price x2

MAT or transparent glass



edge R 2,5 mm



STANDARD 60





» straight edge and edge without rebate in CPL laminate is coated

» NOTE: third hinge Estetic 80 for non-rebated doors (additional

There is available 0,7 - 0,8 mm CPL laminate- to place an order

Door leaf, dependent on selected height option - 1983 mm, 2110

mm or 2240 mm is dedicated to door frames with three hinges in

and for more information please contact Customer Service

leaf price x2

» core made of: perforated chipboard (1983) core made of

OPTIONS AVAILABLE WITH EXTRA CHARGE

w core mate of performance (imposing (1700) performance (imposing (2110) and 2240)
 » door leaf "90" and "100" (1983)
 » door leaf "90" and "100" (2110) and 2240)

» cover-up strip for double leaf non-rebated door

NOTE: colours equivalent: W0118 - WHITE

payment is added to the price of the door frame)

with edgeband 1,5 mm thick

» non-rebated door leaf

» plastic ventilation grille

» aluminum ventilation grille

» ventilation undercut

» double leaf door

corresponding heights.

LIGHT GRAY; RAL=7047

Department.

STANDARD OPTION

- » door leaf frame made of softwood
- » core made of "honeycomb"

OPTION WITHOUT ADDITIONAL CHARGE

» ventilation sleeves


REBATED DOOR LEAF

- » straight edge coated with edge banding or edge with profile R 2,5 mm made in method of directforming fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock





198 STANDARD 10

additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)



edge R 2,5 mm in CPL laminate







211 STANDARD 10 224 STANDARD 10



*** decor available only in horizontal wood grain



- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves

REBATED DOOR LEAF

- » straight edge, flat glazing bar (in CPL laminate rounded glazing bar) flat 4 mm HDF panels fig. 1
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar (in CPL rounded glazing bar), flat 4 mm HDF panels fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: colours equivalent: W0118 - WHITE LIGHT GRAY; RAL=7047


NOTE: In rebated door leaf coated with CPL laminate it is possible to choose door leaf with edge with radious R=2.5 mm. NOTE: Different heights are available in all models of MODERN

Door leaf, dependent on selected height option - 1983 mm, 2110 mm or 2240 mm is dedicated to door frames with three hinges in corresponding heights.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » straight edge and edge without rebate in CPL laminate is coated with edgeband 1,5 mm thick
- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) MODERN 20
- MODERN 30
- MODERN 40 MODERN 50
- » core made of: perforated chipboard (1983 and 2043) core made of perforated chipboard (2110 and 2240)
- » door leaf "90" and "100" (1983 and 2043) » door leaf "90" and "100" (2110 and 2240)
- » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- leaf price x2 » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

NOTE: collection MODERN 10-50 coated with CPL laminate in standard height is available i sliding version.









211 MODERN 30 224 MODERN 30





STANDARD OPTION

- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane white bark 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane "chinchila" or "window blind"
- » ventilation sleeves

REBATED DOOR LEAF

- » straight edge, flat glazing bar (in CPL laminate rounded glazing bar) flat 4 mm HDF panels $~~{\rm fig.}~1$
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF (extra charge)

- » edge without rebate, flat glazing bar (in CPL laminate rounded glazing bar), flat 4mm HDF panels fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: colours equivalent: W0118 - WHITE LIGHT GRAY; RAL=7047

NOTE: In rebated door leaf coated with CPL laminate it is possible to choose door leaf with edge with radious R=2.5 mm.


NOTE: Different heights are available in all models of PLUS

Door leaf, dependent on selected height option - 1983 mm, 2110 mm or 2240 mm is dedicated to door frames with three hinges in corresponding heights.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » straight edge and edge without rebate in CPL laminate is coated with edgeband 1,5 mm thick
- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) PLUS 20 PLUS 40, 50, 60, 70, 80
- PLUS 30
- » core made of: perforated chipboard (1983 and 2043) core made of perforated chipboard (2110 and 2240)
- » door leaf "90" and "100" (1983 and 2043) » door leaf "90" and "100" (2110 and 2240)
- » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- leaf price x2 » NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

NOTE: collection PLUS 10-80 coated with CPL laminate in standard height is available in sliding version.









224 PLUS 30



*** decor available only in horizontal wood grain



ENA - white mat

DRE sliding system is designed to be used together in one set with single or double leaf door, which are available in our sale offer in sliding version. Sliding system is available in veneer colours which constitute standrad finishing colours of door leaf unit: DRE - Cell, 3D foil, CPL laminates, natural veneers, and painted doors with the exception of the following collections: Enter, Enter Natura, Solid, Solid RC2, Vetro C, Lack, Ascada, Sinco, Duo, Rim, fire resistance doors, glass doors, and doors with different heights.

In our sale offer there are available two different types of sliding system:

NS - system mounted directly on the wall

NT - sliding system mounted together with adjustable tunnel

There are two options of NT sliding system:

» mounted together with adjustable tunnel with 63 mm architrave

» mounted together with adjustable tunnel with 80 mm architrave

Set of sliding system comprises of: sliding guide bar with hardware (LEON SN 150, 180, 200), spacing board, masking strip, and fender beam (fender beam is available for single leaf - for doors with hook lock option in fender beam there is milling for latch). In the system mounted with adjustable tunnel NT set contains 2 additional 16 mm spacing boards with cross-sections adapted to the width of architraves (63 mm or 80 mm). There are differences in cross-sections of NS and NT masking element.

To complete entire set of sliding doors it is necessary to purchase sliding leaf unit in following dimensions: Single leaf door: "60", "70", "80", "90", "100" Double leaf door: "2x60", "2x70", "2x80", "2x90", "2x100" Door leaf might be equipped with sockets for lock and/or handle - those accessories must be purchased separately.

In the system mounted with adjustable tunnel NT, it is necessary to purchase adjustable tunnel separately.





ACCESSORIES

6

chrome, satin chrome, black)

Masking strip and guide bar for double sliding system is made by connecting two elements of single system.

- » round handle 1 pcs.
- » oval handle 1 pcs.
- » Hook lock with with two
- round or oval handles with the key
- » hook lock with toilet option with two round or oval handles PLN hook lock with cylinder with two round handles

hook lock


with a key and

a handle

round

One set of door handle for single door leaf consist of 2 pcs.

masking strip with guide bar



Single sliding system

Dimension	Maskir	ng strip	Guide bar
door [mm]	Mz	Mw	Pa
644, 744	1620	1588	1500
844	1920	1888	1800
944	2120	2088	2000
1044	2140	2108	2000

double leaf sliding system

Maskin	ıg strip	Guide bar
Mz	Mw	Ра
2 x 1519	2 x 1503	2 x 1500
2 x 1519	2 x 1503	2 x 1500
2 x 1819	2 x 1803	2 x 1800
2 x 2019	2 x 2003	2 x 2000
2 x 2063	2 x 2047	2 x 2000
	Mz 2 x 1519 2 x 1519 2 x 1819 2 x 2019	2 x 1519 2 x 1503 2 x 1519 2 x 1503 2 x 1819 2 x 1803 2 x 2019 2 x 2003

Single sliding system

symbol	"60"	"70"	"80"	"90"	"100"
А	600	700	800	900	1000
С	644	744	844	944	1044
D	664	764	864	964	1064
E	750	850	950	1050	1150
E*	784	884	984	1084	1184
S	644	744	844	944	1044

double leaf sliding system

symbol	"120"	"140"	"160"	"180"	"200"
А	1200	1400	1600	1800	2000
С	1244	1444	1644	1844	2044
D	1264	1464	1664	1864	2064
E	1350	1550	1750	1950	2150
E*	1384	1584	1784	1984	2184
S**	644	744	844	944	1044

E* applies to tunnel with T80 architrave

S** width of single door leaf

NS - vertical cross-section


2051 2081

XDU

2043

112

for tunnel with 63 mm architrave



2057

6 2035


NT - vertical cross-section for tunnel with 80 mm architrave

hook lock with

key and


handle


oval handle




Height of sliding door leaf unit - 2043 mm total height of sliding system - 2154 mm

NS - horizontal cross-section (left system)







* is not available in double leaf system

NOTE: In double sliding system masking strip is connected on lenght, by two single elements.



GOSSA 4 - sliding system glass doors

MODEL	width "60)", "70", "80"	width "90"		
GALLA 1 decormat, transparent	" PLN 583 net	PLN 717.09 gross	PLN 643 net	PLN 790.89 gross	
GALLA 1 decormat brown, graphite	673 PLN net	PLN 827.79 gross	PLN 733 net	PLN 901.59 gross	
GALLA 2-3	PLN 583 net	PLN 717.09 gross	PLN 643 net	PLN 790.89 gross	
GALLA 10-13	PLN 668 net	PLN 821.64 gross	PLN 738 net	PLN 907.74 gross	
GRACCA 1-22	PLN 1484 net	PLN 1825,32 gross	PLN 1634 net	PLN 2009.82 gross	
GOSSA 1-29	PLN 1219 net	1,499.37 gross PLN	1319 PLN net	PLN 1622,37 gross	





Sliding system for glass doors "Spazio", is made of anodized aluminum, and used as a complete and complementary solution together with finished door frame. Whole set comprises of - guide channel with straight or oval blende, hardware designed to hang sliding glass pane and bottom door guide.

There is two options of Spazio System (only difference is in the shape of external blende):

- » Spazio TP with straight blende
- » Spazio TO with oval blende

PRICE

» price of sliding system for a glass doors

945 pln net | 1162,35 pln gross

To complete the whole system it is reccomended to buy glass door leaf in sliding version form one of our collections: Galla, Gracca or Gossa. There is designed for this solution round handle.

OPTIONS AVAILABLE WITH EXTRA CHARGE


» door handle (two-sided)


PLN 105 net PLN 129.15 gross




door handle (stainless steel)

Note: There is no possibility to make ventilation option.







A - A vertical crosssection of Spazio TD

Dimensions

2096

	S	А	Р
"60"	630	590	1340
"70"	730	690	1540
"80"	830	790	1740
"90"	930	890	1940

S - width of door leaf unit A - width of wall passage

2115

2030

P - lenght of guide channel



Sliding system SPAZIO CD - STANDARD 10 sand oak

SLIDING SYSTEM SPAZIO CD MOUNTED ON-WALL SLIDING SYSTEM DOOR LEAF interior door leaf


SPAZIO CD

On-wall mounted sliding system with anodized guide channel and rectangular blende. Is designated for panel doors and frame construction doors.

WHOLE SET COMPRISES OF:

- » guide channel with side caps
- » system sliding trolleys
- » door leaf hangers
- » bottom stopper
- » assembly kit (screws and bolts)

To complete the whole system it is reccomended to buy door leaf in sliding system version available in our standard sale offer together with door handle. Door handle is to be purchased separately (informations pp.111).



	А	S	L
"60"	600	644	1300
"70"	700	744	1500
"80"	800	844	1700
"90"	900	944	1900
"100"	1000	1044	2100

vertical cross-section

A - width of wall passage S - width of door leaf unit

L - lenght of guide channel



Sliding system doors hidden in the wall (pocket system) PA - STANDARD 10 vintage oak

Decor DRE-Cell	white (structure)	white mat	white pine	elm siberian	silver	ash	beech	vintage oak	oak sand	bleached oak textured	alder	golden oak
	calvados	walnut	walnut caramel	golden oak textured	walnut dark textured	gray oak textured***	elm tabac	elm anthracite	dark wenge	gray textured	NEW black textured	NEW toffee oak
Decor 3D	grand oak	elm	walnut american	ebony	polish oak 3D							

decor available only in horizontal wood grain

MODEL

Sliding system doors hidden in the wall (pocket system) PA

Decor DRE-Cell and Decor 3D

1050 pln net | 1291,50 pln gross

SLIDING SYSTEM DOORS HIDDEN IN THE WALL (POCKET SYSTEM) PA - 125 $\rm MM$

Sliding system doors hidden in the wall (pocket system) PA - it is sliding system doors hidden in the wall designated for light gypsum cardboard wall construction.

TECHNICAL PARAMETERES:


Assembly of sliding system doors hidden in the wall is to be done in construction of the profiles used to build gypsum cardboard wall construction with total thickness 125 mm (or other type of the construction with total thickness 125 mm). After it is necessary to finish wide surfaces with plasterboards 12,5 mm thick (plasterboards shall be purchased seperately), finish detailing process of those surfaces and assemble tunnel cover of sliding system.

SET COMPRISES OF:

- » cassette elements made of aluminum elements and additionall assembly accessories
- » elements which allows to decorate build in sliding system so called tunnel cassette cover with architraves 80 mm wide

To complete whole system it is neccessary to purchase door leaf in sliding system (it is recommended to purchase door leaf with "thimble" option) and hardware for this door leaf (lock and/or door handle and thimble).

NOTE: VETRO A, VETRO D and VETRO B door leaf with width "70" is not complementary product for sliding system doors hidden in the wall (pocket system) PA.



	А	S	С	D	G
60	600	644	1310	1330	659
70	700	744	1510	1530	759
80	800	844	1710	1730	859
90	900	944	1910	1930	959
100	1000	1044	2110	2130	1059

C - total width of cassette

- D width of walls passage prepared for cassette
- G deepth of ready cassette



folding doors FOLDE 10 - white matt



*** decor available only in horizontal wood grain



FOLDING DOORS FOLDE

System of folding doors is characterised by that, during opening process of door leaf unit, doors fold into position parallel to each other . The complete set of folding doors comprises:

fig. 1

- » two-element door leaf interconnected by 3 hidden concealed hinges
- » adjustable door frame for folding doors


STANDARD OPTION

- » door leaf frame made of softwood
- » core made of "honeycomb"
- » straight edge fig. 1
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » 3 hidden concealed ISTAR hinges instaled between twoelement door leaf unit

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » core made of perforated chipboard
- » door leaf "90" and "100"

Cross-section of folding doors in closed position* (right doors, left doors it is mirror reflection) 80



Dimensions


	S	А	В	С	D	Е
"80"	844	806	830	850	880	990
"90"	944	906	930	950	980	1090
"100"	1044	1006	1030	1050	1080	1190

D - required width of wall passage

NOTE: There is no possibility to shorten door leaf.

Cross-section of folding doors in opened position*

*NOTE: When doors are fully opened, the door fittings slightly reduce the clear opening by approx. 10 cm. (this value doesnt take into account door handle)




prices of adjustable door frames for folding doors with T80 architrave

	Decor DRE-Cell						
Cmin	Cmax	net	gross				
95	115	339	416,97				
120	140	349	429,27				
140	160	359	441,57				
160	180	368	452,64				
180	200	378	464,94				
200	220	388	477,24				
220	240	399	490,77				
240	260	407	500,61				
260	280	416	511,68				
280	300	426	523.98				

*** decor available only in horizontal wood grain



Sara Eco



MODEL	standard col	olor (aluminum) anode and white color		
door frame OAB_ SARA	795 pln netto	977,85 pln gross	PLN 1095 net	PLN 1336.85 gross
door frame OA_SARA	795 pln netto	977,85 pln gross	PLN 1095 net	PLN 1336.85 gross



NON-REBATED DOOR LEAF - OPENED OUTWARDS

Sara Eco door leaf is an innovative solution for creative interior design with the use of "invisible" doors. This unique construction gives possibility to finish surface of door leaf in the colours of the walls.

CONSTRUCTION OF SARA ECO DOOR LEAF COMPRISES OF:

Aluminum door frame, "invisible" after assembly process, build in the wall or overlayed with sheets of plaster board. After detailing process, only visible part is rebate of the door frame, prepared for future painting, e.q. in the colours of the walls. non- rebated panel construction door leaf is available in two finishing options:

» wide surfaces of door leaf are primed and ready for painting or paperhanging (e.q. in the colour of the walls). Edges of the leaf are covered with a paintable edge band. Painting is to be done at one-s discretion or optional choose painted decor.

» wide surfaces of door leaf are coated with veneer from DRE - Cell or 3D group, while the edges of the leaf are covered with a edge band in the colour of the veneer.

MODEL	Decor DRE-Cel	I, 3D and primed*	decor painted*	
door leaf Sara Eco	304 pln netto	373,92 pln gross	424 pln netto	521,52 pln gross
				*applies to the door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE WITH PRIMER

» ventilation undercut

STANDARD OPTION


- » door leaf frame made of softwood
- » sockets for 2 hidden concealed ISTAR hinges
- » core made of "honeycomb"
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

OPTIONS AVAILABLE WITH EXTRA CHARGE IN DRE-CELL, 3D AND PAINTED


- » ventilation undercut
- » plastic ventilation grille » aluminum ventilation grille

» dropping seal

price of door frame includes two hidden concealed hinges.



Sara Eco horizontal cross-section (assembly in Gypsum wall)




Dimensions of Sara Eco door leaf


	S	А	В	С	D
"60"	644	629	650	714	724
"70"	744	729	750	814	824
"80"	844	829	850	914	924
"90"	944	929	950	1014	1024
"100"	1044	1029	1050	1114	1124

S - width of door leaf unit A - width of passage in door frame unit B - width in rebate of door frame C - external width of door frame D - required width of wall passage

NOTE: Minimum thickness of the wall 75

Door leaf width: single leaf door "60"÷"100".





Sara Eco vertical cross-section



REBATED DOOR LEAF - OPENED INWARDS

Sara Eco door leaf is an innovative solution for creative interior design with the use of "invisible" doors. This unique construction gives possibility to finish surface of door leaf in the colours of the walls.

Construction of SARA ECO door leaf comprises of:

- » Aluminum door frame, "invisible" after assembly process, build in the wall or overlayed with sheets of plaster board. After detailing process, only visible part is rebate of the door frame, prepared for future painting, e.q. in the colours of the walls.
- » Rebated panel construction door leaf is available in two finishing options:
 - » wide surfaces of door leaf are primed and ready for painting or paperhanging (e.q. in the colour of the walls). Edges of the leaf are covered with a paintable edge band. Painting is to be done at one-s discretion or optional choose painted decor.
 - » wide surfaces of door leaf are coated with veneer from DRE Cell or 3D group, while the edges of the leaf are covered with a edge band in the colour of the veneer.

OPTIONS AVAILABLE WITH EXTRA CHARGE WITH PRIMER

» ventilation undercut

STANDARD OPTION

"100"

1044

1029


1050

1114

- » door leaf frame made of softwood
- » sockets for 2 hidden concealed ISTAR hinges
- » core made of "honeycomb"
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

OPTIONS AVAILABLE WITH EXTRA CHARGE IN DRE-CELL, 3D AND PAINTED

- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » dropping seal



122 Technical information: accessories: pp. 129, 164-171 and 177, door leaves: pp. 178-186.

1124



FRAME CONSTRUCTION



white (structure)	white mat	white pine	elm siberian	oak sand	bleached oak textured	ash	golden oak textured	dark walnut textured	gray oak textured***	elm tabac	elm anthracite	D
dark wenge	walnut caramel	vintage oak	gray textured	NEW black textured	NEW toffee oak	Decor 3D	elm	walnut american	ebony	polish oak 3D	grand oak	

*** decor available only in horizontal wood grain





side panel PREMIUM natura (straight edge) Natura

side panel DOVA natura (straight edge) Natura

side panel

SCALA natura (straight edge)

Natura



STANDARD OPTION

- » stiles and rails made of MDF
- » glass pane 4 mm: MAT DRE, decormat brown, decormat graphite or transparent glass
- » 3 silver screw-in pivot hinges
- » latch strike plate and two flush bolts
- » straight edge fig. 1
- OPTIONS AVAILABLE WITH EXTRA CHARGE
- » door frame for door leaf with side panel

NOTE: Price of side panel is equal to the price of corresponding door leaf model.

There is possibility to make side panels to all frame construction door leaf,

available in presented collections, in following combinations: "60+40"; "70+40"; "80+40"; "90+40"; "100+40"

NOTE: There is no possibility to shorten side panels.

fig. 1
edge
fixed door
frame

+30%

PANEL CONSTRUCTION



STANDARD OPTION

- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane 4 mm thick: white bark, "window blind", CHINCHILA, MAT DRE, DECORMAT BROWN or DECORMAT GRAPHITE.
- » 2 silver screw-in pivot hinges
- » latch strike plate and two flush bolts
- » optional: straight edge* flat glazing bar <code>fig.1</code> or "karnies" edge, rounded glazing bar <code>fig.2</code>

OPTION WITHOUT ADDITIONAL CHARGE

» three hinges applies to rebated door leaf

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » core made of perforated chipboard
- » door frame for door leaf with side panel
- » straight edge in CPL laminate with edge band 1,5 mm thick





Side panel it is passive rebated door leaf unit with "40" width and 40 mm thick, with glazing or without glazing option, in uniform wood grain. Side panels can be paired with interior rebated door leaf in the following combination: "60+40"; "70+40"; "80+40"; "90+40"; "100+40".

Side panel 10 can be applied to rebated interior door leaf. Side panel 30 can be applied to models ARTE 10-30 and STANDARD 30.

Side panels 40 can be applied to models ARTE 40, 50, 90; STANDARD 40, KANON 30, DECO collection.


Side panel 41 can be applied to models MODERN 30, IDEA 30, PLUS 30.

To make the best possible match of side panel to door leaf unit, besides selection of model, it is necessary to choose wright colour, type of the edge and number of hinges.

NOTE: There is no possibility to shorten side panels.



+30%







SIDE PANEL NATURA

+30%

STANDARD OPTION

- » door leaf frame made of softwood
- » core made of "honeycomb"
- » glass pane 4 mm thick: white bark, "window blind", CHINCHILA, MAT DRE, DECORMAT BROWN or DECORMAT GRAPHITE.
- » 2 silver screw-in pivot hinges
- » latch strike plate and two flush bolts
- » straight edge fig. 1



OPTION WITHOUT ADDITIONAL CHARGE

» three hinges

OPTIONS AVAILABLE WITH EXTRA CHARGE

» core made of perforated chipboard

» door frame for door leaf with side panel

Interior rebated single leaf door can be paired together with "40" side panel in combination in the following combination "60+40"; "70+40"; "80+40"; "90+40"; "100+40". Side panel it is passive rebated door leaf unit 40 mm thick, with glazing or without glazing option, in uniform wood grain.

Side panel Natura 10 can be applied to all collections with natural veneer and with straight edge, besides ENTER natura..


Side panel Natura 02 can be applied to collection Galeria Natura 02, 20, 21, 22, 23, Galeria Natura ALU 20,21,22,23, 24, 25 and Duero Natura ALU

Side panel Natura 30 can be applied to models ARTE natura 10-30, STANDARD natura 30 with straight edge.

Side panel Natura 40 can be applied to models ARTE natura 40, 50, 70, 90, STANDARD natura 40.

NOTE: There is no possibility to shorten side panels.





Side panel Natura 02 straight edge)

Side panel Natura 30 Side panel Natura 40 (horizontal wood grain, (horizontal wood grain, straight edge) straight edge)



TRANSOM LIGHTS AND SIDELIGHTS





Possible configuration of transom lights/side lights



TRANSOM LIGHTS AND SIDELIGHTS

Transom lights/ sidelights are fixed, unpenable, glazed partition between rooms or spaces that may constitute an independent structure or a supplement for interior doors (except for glass doors) with a fixed door frames. Transom lights/sidelights are manufactured and delivered as a set of components ready for assembly. Set contains the following:

» two horizontal and two vertical main beams

» set of cover and instalation strips

» set of gaskets

» main beam couplers

Transom lights/sidelights are used in interior doors with a fixed door frames and they come in the following decors DRE-Cell, 3D veneer, Finish veneer and CPL laminate 0,15-0,20 mm.

NOTE: Our product doesnt come with the glass pane, which should be purchased by the Client separately. We reccomend to use tempered glass pane with a thickness of 4 mm. Assembly of transom lights/sidelights should be performed once the "wet" construction are completed.





Fig. A cross-section of the transom light/sidelights



Dimensions of transom lights/sidelights

range of products	height total	width total	lenght of the perimeter
side light	2073 mm	Z	2*2073+2*Z
sidelight	Ν	Z	2*N+2*Z
transom light	N	В	2*N+2*B

available options of transom lights heights

"N" = 200-800 mm.

available options of the width of transom and side lights $\sp{,}Z''$ = 200-1000 mm.

Width of the upper "B" transom lights is adjusted to the width of the fixed door frames; the available options of the width of fixed door frames; available options of the widths can be found in the following tables:

The transom lights are mounted on the single-leaf door frame

	"60"	"70"	"80"	"90"	"100"	"110"
В	688	788	888	988	1088	1188

Transoms mounted with the door frame in double-leaf doors

	"100d"	"110d"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	"190"	"200"
В	1123	1223	1323	1423	1523	1623	1723	1823	1923	2023	2123

Price of the transom lights/sidelights is calculated per one meter of circumference measured on the outer side of the transom lights/ sidelights.

To place an order please contact Atypical Orders Department - phn. 55 236 42 59.

NOTE: height of the sidelight is adapted to the standard height of the fixed door frame. Therefore, we do not reccomend shortening door frames in configuration with the sidelight.







STANDARD OPTION

- » door leaf frame made of MDF additionally reinforced with two flat metal bars » core made of perforated chipboard
- » external flat HDF board
- » 3 silver screw-in pivot hinges
- » straight edge fig. 1
- » bottom deadbolt lock adapted for door lock cylinder
- » upper deadbolt lock adapted for door lock cylinder

APPLICATION

Door leaf ENTER natura can be used as internal entrance door in multifamily buildings and public utility buildings.

NOTE: The specificity of natural veneer is a possibility of differences in wood grain and staining. These differences can not be the basis of the accepted complaint..

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » viewfinder included separately
- » digital viewfinder DDS1 separately
- » digital viewfinder DDS2 separately
- » stainless steel threshold 70 mm wide
- » cancellation of second lock
- » dropping seal



viewfinder included separately

CONSTRUCTION

frame Soft natura.

two flat metal bars (B).



(70 mm wide)

Core is made of perforated chipboard (C).

with natural veneer secured with UV varnish.



deadbolt lock upper




seal dropping





digital viewfinder DDS1 (separately)

digital viewfinder DDS2 (separately)







ENTER natura 0






Construction door leaf frame is made of MDF board (A) additionally reinforced with

Door leaf unit has increased acustic insulation (Rw=32dB). External HDF board is ennobled

It is reccomended to use together with door leaf collection ENTER natura fixed door





perforated

ACCESSORIES

PATENTED CYLINDERS



patented cylinder 26/41 - nickelpatented cylinder 26/41 - brass satin



set of patented cylinder ZN 30/40+30G/40 SN or ZN 30/40+40G/30 SN nickel satin



set of patented cylinder ZN 30/40+30G/40 SB or ZN 30/40+40G/30 SB brass satin

DIGITAL VIEWFINDER AXA DDS1





DIGITAL VIEWFINDER AXA DDS2







selfcloser DORMA



selfcloser GEZE

DIVA door handle and back plate for FORCA 10 and FORCA B 10

۱





ONTARIO door handle and backplate for SOLID RC2 model

ENTER/SOLID REBATED DOOR LEAF interior entrance





STANDARD OPTION

- » door leaf frame made of MDF additionally reinforced with two flat metal bars
- » core made of perforated chipboard
- » external HDF board flat or with decorative milling .
- » 3 silver screw-in pivot hinges

» straight edge ig. 1 or edge R 2,5 mm (in CPL laminate) ig. 2

REBATED DOOR LEAF MODEL ENTER:

- » bottom deadbolt lock adapted for door lock cylinder
- » upper deadbolt lock adapted for door lock cylinder

REBATED DOOR LEAF SOLID

» multipoint mortise lock adapted for door lock cylinder CLASS "C"

» hinges reinforced with anti-thrust bolts

APPLICATION

Door leaf ENTER and SOLID can be used as internal entrance door in multifamily and in public utility buildings.

CONSTRUCTION

Construction door leaf frame is made of MDF, additionally reinforced with two flat metal bars. Core is made of perforated chipboard. Door leaf unit has increased acustic insulation (Rw=32dB). External HDF board is ennobled with DRE-Cell veneer - optional - flat finishing or decorative milling.

Door leaf models ENTER/SOLID are available with 0,7-08 mm CPL laminate - to place an order and for more information please contact Customer Service Department.

NOTE: Models ENTER 0 and SOLID 0 - door leaf in CPL laminate has in standard option edge with radius R 2,5 mm. There is possibility to choose straight edge (extra charge) with edge band 1,5 mm thick.

It is reccomended to use together with door leaf collection ENTER/ SOLID fixed door frame

ENTER/SOLID or metal door frame.



* door handle and upper backplate METRO, set of patented cylinder - single key system





ENTER/SC REBATED DOOR LEAF interior entrance



MDF board

digital viewfinder (separately)

digital viewfinder DDS2 (separately)



OPTIONS AVAILABLE WITH EXTRA CHARGE

- » In CPL laminates straight edge with edge band 1,5 mm thick
- viewfinder included separately
 vigital viewfinder DDS1 separately
- » digital viewfinder DDS2 separately
 » stainless steel threshold 70 mm wide
- » cancellation of second lock
- » dropping seal



*** decor available only in horizontal wood grain





*** door handle and upper backplate, set of patented cylinder - single key system.

STANDARD OPTION

- » door leaf frame made of MDF additionally reinforced with two flat metal bars
- » core made of perforated chipboard
- » external HDF board flat or with decorative milling .
- » 3 silver screw-in pivot hinges
- » straight edge fig.1 or edge R 2,5 mm (in CPL laminate) fig. 2

REBATED DOOR LEAF MODEL ENTER:

- » bottom deadbolt lock adapted for door lock cylinder
- » upper deadbolt lock adapted for door lock cylinder

REBATED DOOR LEAF SOLID

- » multipoint mortise lock adapted for door lock cylinder CLASS "C"
- » hinges reinforced with anti-thrust bolts


APPLICATION

Door leaf ENTER and SOLID can be used as internal entrance door in multifamily and in public utility buildings. It is reccomended to use together with door leaf collection ENTER/ SOLID fixed door frame ENTER/SOLID or fixed metal door frame.

CONSTRUCTION

Construction door leaf frame is made of MDF, additionally reinforced with two flat metal bars. Core is made of perforated chipboard. Door leaf unit has increased acustic insulation (Rw=32dB). External HDF board is ennobled with DRE-Cell veneer - optional - flat finishing or decorative milling.






ENTER/SOLID 18 ENTER/SOLID 19* ENTER/SOLID 20* ENTER/SOLID 21** ENTER/SOLID 22** ENTER/SOLID 23** * in models 19 and 20 veneer is glued in strips with variable wood grain.

Technical informations: door frames: pp. 149-154, door leaves: pp. 178-186.



ENTER/SOLID REBATED DOOR LEAF interior entrance





digital viewfinder DDS1 digital viewfinder DDS2 (separately) (separately)



*** decor available only in horizontal wood grain



SOLID RC2 - gray oak CPL





STANDARD OPTION:

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge with edge band 1,5 mm thick
- » multipoint mortise lock
- » 3 triple hinges
- » HDF external board with aluminum sheet

SOLID RC2 door leaf has acoustic insulation class Rw=32dB and has anti-burglary class RC2 according to PN-EN 1627:2012. To comply with technical approval whole set must comprise of door leaf, fixed steel door frame, steel threshold and purchased separately dedicated for this product hardware: door handle, backplate and cylinder patent inserts. Picture of door handle and backplate can be found on page 129.

APPLICATION

Door leaf SOLID RC2 can be used as internal entrance door in multifamily buildings and in public utylity buildings.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » viewfinder separately
- » door leaf "100"
- » steel threshold
- » ONTARIO door handle
- » ONTARIO backplate
- » patent insert (price for 2 pc)

CONSTRUCTION OF DOOR FRAME


Metal welded door frame is made of low carbon steel sheet with 1,5 mm thickness. Door frame is powder coated and available in colours from RAL pallet: 9003-white, 8017-brown, 7047-light gray, 7024-dark gray in two gloss scale (mat low structure/semi gloss). Both external side and internal side of door frame are secured with lacquered organic protective surface.

On its one side there are made 4 holes for latch bolt and bolts installed in entrance DRE doors, and on the opposite side there are 3sockets for hinges and anti-thrust bolts.





threefold hinge E878




SOLID RC2

APPLICATION

Metal door frame can be applied to interior entrance door leaf SOLID RC2. Door frame is designed to be assembled on finished floor level.

STANDARD OPTION

sockets for 3 threefold hinges E878 additional sockets for anti-thrust bolts sockets for multi point lock latch Metalplast



** required height of wall passage measured from the level of finished floor is 2086 mm or 2071* mm in optional assembly method ** height of passage in the door frame is 2027,5 mm



OLIMP 10 - white matt



*** decor available only in horizontal wood grain



FIRE RESISTANT DOORS OLIMP

interior entrance fire-resistance door leaf HALSPAN system

STANDARD OPTION

- » core made of Halspan chipboard 44 mm in El30 or 54 mm in El 60 with additional pine wood strips attached circumferentially
- » straight edge, rounded glazing bar fig.1
 » transparent fire resistance glass pane (variable width dependent upon the size of the door leaf)
- » intumescent smoke-proof gasket
- » 3 hinges
- » patented cylinder lock

bai

» dropping seal



fixed door frame



Acoustic sound insulation rate for single leaf door Rw=32 dB Acoustic sound insulation rate for double leaf door Rw=27 dB



fire resistance ventilation grille.

NOTE: In door leaf with fire-resistance EI30 there are used three triple hinges, while in door leaf with fire resistance EI60 there are used VX7939 hinges.

OPTIONS AVAILABLE WITH EXTRA CHARGE

» viewfinder

- » selfcloser DORMA
- » selfcloser GEZE
- » fire resistance ventilation grille.
- » surcharge for passive door leaf

APPLICATION

Fire-resistance doors are used as interior entrance doors in residential housing, public utylity buildings and colective residential buildings. In order to comply with the conditions of the National Technical Assessment self closer should be applied in doors with fire-resistance EI30 and EI60.

Doors are sold only as a set with a metal fire-resistance door frame.



SELFCLOSER DORMA



SELFCLOSER GEZE



OLIMP 10



OLIMP 20



OLIMP 30



OLIMP 40



CONSTRUCTION


Metal door frame is made of carbon steel construction plate with a minimum thickness 1,5 mm, structure is welded and powder-coated in brown or white colour.

APPLICATION


Door frame is applied to the interior entrance fire-resistance doors OLIMP EI30 and EI60.

STANDARD OPTION


- » 3 hinges
- » gasket with enhanced flame-resistance properties




metal door frame for hinges VX 7939




OLIMP door leaf cross-section





* dimensions for EI30 doors. for EI60, add 1

horizonatl cross-section of door frame in the wall D (width of the opening in the wall)



Dimensions for single leaf EI30

 \square

Cross-section of a metal door frame

for OLIMP door leaf

	A	В	D	E	F
"80"	800	826	905	870	896
"90"	900	926	1005	970	996
"90E"	915	941	1020	985	1011
"100"	1000	1026	1105	1070	1096
"110"	1100	1126	1205	1170	1196

Dimensions for single leaf EI60

	А	В	D	E	F
"80"	801	827	906	871	897
"90"	901	927	1006	971	997
"90E"	926	952	1031	996	1022
"100"	1001	1027	1106	1071	1097
"110"	1101	1127	1206	1171	1197

price of single door leaf	=	price of the active door leaf	+	price of the fire resistance metal door frame.
price of double leaf door	=	price of the active door leaf	+	price of the passive door leaf (active door leaf + additional charge)

Dimensions for EI30 double leaf doors

А	В	D	E	F
1635	1661	1740	1705	1731
1735	1761	1840	1805	1831
1835	1861	1940	1905	1931
1935	1961	2040	2005	2031
2035	2061	2140	2105	2131
2135	2161	2240	2205	2231
2235	2261	2340	2305	2331
	1635 1735 1835 1935 2035 2135	1635 1661 1735 1761 1835 1861 1935 1961 2035 2061 2135 2161	1635 1661 1740 1735 1761 1840 1835 1861 1940 1935 1961 2040 2035 2061 2140 2135 2161 2240	1635 1661 1740 1705 1735 1761 1840 1805 1835 1861 1940 1905 1935 1961 2040 2005 2035 2061 2140 2105 2135 2161 2240 2205


Dimensions for EI60 double leaf doors

	А	В	D	E	F
"160"	1636	1662	1741	1706	1732
"170"	1736	1762	1841	1806	1832
"180" = "90" + "90"	1836	1862	1941	1906	1932
"200" = "100" "100"	2036	2062	2141	2106	2132
"210"	2136	2162	2241	2206	2232
"220"	2236	2262	2341	2306	2332

price of the fire resistance metal door frame.



Price of the set includes door leaf, metal door frame, steel threshold, a handle / handle and a DIVA back plate without protection of the cylinder and two patent cylinder inserts.



Door leaf width: single leaf door "80"- "100".

Technical informations: accessories: p. 129, door leaf: pp. 178-186.



lle/

Ε

F

897


997

1012

1097

Price of the set includes door leaf, metal door frame, steel threshold, a handle / handle and a DIVA back plate without protection of the cylinder and two patent cylinder inserts.





Available colours of fixed steel door frame

Door leaf width: single leaf door "80"- "100".

Technical informations: accessories: p. 129, door leaf: pp. 178-186.



FIRE RESISTANT APPOR

Price of the set includes door leaf, metal door frame and dropping seal.



ATHOS TECHNICAL DOORS MEET THE FOLLOWING REQUIREMENTS:

- » fire resistance class: El_30
- » smoke proof class: Sa, S
- » mechanical resistance class: 3
- » sound insulation class: RW=32 dB

APPLICATION

Interior entrance fir-resistance doors, are used in residential housing, public utility buildings and collective residential buildings, as well as commercial and technical premises. Doors are sold only as a complete set with a wooden door frame and wooden threshold.

STANDARD OPTION

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge
- » single-point mortise lock adapted for cylinder lock
- » 3 triple hinges

OPTIONS AVAILABLE WITH EXTRA CHARGE


- » selfcloser DORMA
- » selfcloser GEZE
- » door leaf "100" "110"
- » viewfinder

In order to comply with the conditions of the National Technical Assessment, doors with fire resistance El 30

should be equipped with a self closer.



*** decor available only in horizontal wood grain



Door leaf width: single door leaf "80" ÷ "110".

Technical information: accessories: pp. 129, 164-171, door leaves: pp. 178-186.






OPTIONS AVAILABLE WITH EXTRA CHARGE

» ventilation undercut available in swing door leaf (door leaf "80" and "90" meet ventilation requirements)

NOTE: prices apply to active door leaf and sliding version of door leaf.



Door leaf is made of tempered, 8mm glass pane.






OPTIONS AVAILABLE WITH EXTRA CHARGE

» ventilation undercut available in swing door leaf (door leaf "80" and "90" meet ventilation requirements)

NOTE: prices apply to active door leaf and sliding version of door leaf.



Door leaf is made of tempered, 8mm glass pane with ceramic, permanent digital printing presented on particular model.



GRACCA	
glass interior door leaf	

MODEL	width "60", "70", "80"		width "90"	
GRACCA 11-22	PLN 1484 net	PLN 1825,32 gross	PLN 1634 net	PLN 2009.82 gross

NOTE: prices apply to active door leaf and sliding version of door leaf.

OPTIONS AVAILABLE WITH EXTRA CHARGE

» ventilation undercut available in swing door leaf

(door leaf "80" and "90" meet ventilation requirements)



Door leaf is made of tempered, 8mm glass pane with ceramic, permanent digital printing presented on particular model.





MODEL	width "60", "70", "80"		width "90"	
GOSSA 1-11 PLN 1219 net		1,499.37 gross PLN	1319 PLN net	PLN 1622,37 gross
		NO	TE: prices apply to active door I	leaf and sliding version of door leaf.

OPTIONS AVAILABLE WITH EXTRA CHARGE

» ventilation undercut available in swing door leaf75 pln | 92,25 pln (door leaf "80" and "90" meet ventilation requirements)



GOSSA 1



GOSSA 1 transparent



GOSSA 2



GOSSA 2 transparent



GOSSA 3 transparent



GOSSA 4

GOSSA 7



GOSSA 4 transparent



GOSSA 7 transparent



GOSSA 5

GOSSA 8



GOSSA 5 transparent

GOSSA 9

transparent



GOSSA 10



GOSSA 6 transparent






Door leaf is made of laminated glass which consist of two tempered 4 mm glass panes glued together by foil with high quality printing.






NOTE: prices apply to active door leaf and sliding version of door leaf.

- **OPTIONS AVAILABLE WITH EXTRA CHARGE** » ventilation undercut available in swing door leaf (door leaf "80" and "90" meet ventilation requirements)



Door leaf is made of laminated glass which consist of two tempered 4 mm glass panes glued together by foil with high quality printing. Models GOSSA 26-29 - door leaf is made of laminated glass which consist of two tempered 4mm, painted glass panes glued together by foil.

DOOR LEAF DIMENSIONS AND PLACEMENT OF HARDWARE



Door leaf unit is made of safe, plain or glued, tempered 8mm glass pane which has in standard option holes for assembly of:

» hinges and lock in swing doors leaf

» round door handle and hardware adapted for sliding system door leaf


APPLICATION

Glass door leaf are used as interior doors in residential housing, public utility buildings and collective residential buildings.

OPENING DIRECTION OF GLASS DOOR LEAF



GALLA and GRACCA collections have obverse and reverse side. GOSSA collection has uniform pattern on both sides, visible surfaces of door leaf are plain.



SELECTION OF LOCKS FOR GLASS DOORS

Depending on door leaf opening direction (left/right):

GEZE toilet locks and all Metalbud locks are configured, to left doors - left locks are used, to right doors - right locks are used remaining door locks are universal use (they can be configured left or right).

In toilet lock it is necessary to choose one of the following combinations which present assembly situation (difference is in door leaf opening direction and/or placement of toilet blockade):

DOOR LEAF WIDTH

Symbol of the door dimension	SZ	SZP
"60"	617	630
"70"	717	730
"80"	817	830
"90"	917	930

SZ - width of glass swing door leaf

SZP - width of glass sliding door leaf

DOOR LEAF HEIGHT

2036 mm - height of glass swing door leaf 2054 mm - height of glass sliding door leaf

NOTE: . There is no possibility to shorten glass door leaf.

CLEARANCE BETWEEN DOOR LEAF AND FLOOR

Standard clearance between door leaf unit and ready floor is 8 mm.

NOTES REFERED TO HINGE


DOOR FRAMES applied to glass doors should be equipped with two pivot .ø 15 mm. FULFILMENT OF VENTILATION REQUIREMENTS

FOR GLASS DOORS

	doors with ventilation undercut				
symbol dim. DOORS	ventilation surface of the undercut and the clearance 8 mm [m2]	required clearance to meet ventilation requirements [in mm]			
"90"	0,027	2			
"80"	0,024	5,5			
"70"	0,021	10*			
"60"	0,017	16*			

* - door leaf "60" and "70" doesnt meet ventilation requirements.


Ventilation undercut (only swing door leaf)



Use of ventilation undercut in door leaf unit with width "80" - "90" and standard clearance between door leaf and floor (8mm) will fulfill ventilation requirement - total ventilation surface 0,022 m2..

HARDWARE FOR GLASS DOORS


fig. 1 right door leaf /blockade outside




Geze and Metalbud toilet locks - select right toilet lock outside. remaining locks - select left lock*

fig. 2 left door leaf/blockade outside

Geze and Metalbud toilet locks - select left toilet lock outside. remaining locks - select left lock* fig. 3 right door leaf/blockade inside




Geze and Metalbud toilet locks - select right toilet lock inside. remaining locks - select right lock* fig. 4 left door leaf/blockade inside



Geze and Metalbud toilet locks - select left toilet lock inside. remaining locks - select right lock*

* In toilet locks, except Geze and metalbud locks, definition "left", "right" refers to placement of toilet blockade: description "left lock" means that blockade is placed on exterior side of the door leaf, description "right lock" means that blockade is placed on interior side of the door leaf.

HARDWARE



 ** It is necessary to purchase patented cylinder 21/26 separately (see details

in the table above)

** Toilet lock - selection of toilet lock see details above

FIXED DOOR FRAMES

CONSTRUCTION

Fixed door frame is made of high-quality MDF board and it is coated with ecological, wood-like decorative DRE-Cell veneer, 3D veneer, 0,15 - 0,20 mm CPL, finish veneer or natural veneer. Door frames has fixed width of 100 mm.

APPLICATION


- Fixed door frame can be used in the following types of doors:
- » ENTER entrance doors (equipped with 3 ø 13,5 mm hinges and additional upper latch plate)
- » SOLID entrance doors (equipped with 3 ø 13,5 mm hinges and 4 hooks for the latch and latches of the flat multi-point lock)
- » glass doors ("OPC" they are equipped with two hinges ø 15 mm, special latch plate and rubber seal strip)
- » other remaining rebated door leaf (using 2 or 3 ø 13,5 mm hinges, in all frame construction door and panel door collections having size "90" and wider; door frames should be equipped with 3 hinges)


Masking strips are used in fixed door frames and SOFT door frames, whereas for the fixed SOFT natura door frames angular architrave are used.

THE SET CONTAINS

Main beam (one horizontal and two vertical elements), door seal, a set of hinges, all necessary components for the instalation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.

Fixed door frame







2089


2074

2029 лі.

















for single-leaf doors

	A	В	С	D	
60	600	624	690	712	
70	700	724	790	812	
80	800	824	890	912	
90	900	924	990	1012	
100	1000	1024	1090	1112	
110	1100	1124 1190		1212	

for double-leaf doors

	А	В	С	D
100d	1035	1059	1125	1147
110d	1135	1159	1225	1247
120	1235	1259	1325	1347
130	1335	1359	1425	1447
140	1435	1459	1525	1547
150	1535	1559	1625	1647
160	1635	1659	1725	1747
170	1735	1759	1825	1847
180	1835	1859	1925	1947
190	1935	1959	2025	2047
200	2035	2059	2125	2147

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door frame ENTER (with latch deadbolt plate)
- » door frame SOLID

» door frame for double leaf door:

+30%

ADJUSTABLE DOOR FRAMES WITH K63 AND N63 ANGULAR ARCHITRAVE

CONSTRUCTION

Adjustable door frame is made of high-quality wood based MDF board. On its external side it is entirely coated with a decorative wood-imitation DRE - Cell Veneer, 3D veneer, Finish veneer, painted** - in configuration with angular architrave K63 or coated with natural veneer with angular architrave N63. Its construction allows for use in walls ranging between 75-320 mm in thickness and additional adjustment for +20 mm.

**NOTE: To ensure the highest quality of painted door frames, before painting process they are coated with special material which constitues solid base.

APPLICATION

Adjustable door frame can be applied for:


- » interior rebated door leaf (in all frame construction door and panel door collection having size "90" and wider, door frames should be equipped with three hinges ø 13,5 mm).
- » entrance doors ENTER (includes 3 hinges ø 13, 5 mm, additional latch plate extra charge 20 PLN net)
- » glass door ("ORC" they are equipped with two hinges ø 15 mm, special latch plate and rubber seal strip).

SET CONTAINS


Main beam (one horizontal and two vertical elements together with masking elements), door seal, set of hinges, all necessary components for the instalation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.



OR/ORC cross-section with K63 architrave



vertical cross-section of rebated door leaves wall min 2073 2043 2051 2041 2029




2036

required wall passage height 2073 mm (2079 mm for glass doors)


floo







OR/ORC horizontal cross-section



D - required width of wall passage

for double-leaf doors


for single-leaf doors

	Α	В	С	D	E
60	600	624	644	680	750
70	700	724	744	780	850
80	800	824	844	880	950
90	900	924	944	980	1050
100	1000	1024	1044	1080	1150
110	1100	1124	1144	1180	1250

2104

	Α	В	С	D	E
100d	1035	1059	1079	1115	1185
110d	1135	1159	1179	1215	1285
120	1235	1259	1279	1315	1385
130	1335	1359	1379	1415	1485
140	1435	1459	1479	1515	1585
150	1535	1559	1579	1615	1685
160	1635	1659	1679	1715	1785
170	1735	1759	1779	1815	1885
180	1835	1859	1879	1915	1985
190	1935	1959	1979	2015	2085
200	2035	2059	2079	2115	2185

OR/ORC cross-section Natura with N63 architrave



ADJUSTABLE DOOR FRAMES WITH ANGULAR ARCHITRAVE T80 OR T63

CONSTRUCTION

Adjustable door frame with angular architrave T80 or T63 is equipped with a angular architrave elements with small rounding of the cross-section profile. It is made of a high-quality wood-based MDF board. On its visual side it is entirely coated with a decorative wood-imitation DRE-Cell veneer, 3D veneer, CPL laminate 0,15 - 0,2 mm, natural veneer (available only T80 architrave) or painted**. Its construction allows for use in walls ranging between 75-320 mm in thickness and additional adjustment for +20 mm.

**NOTE: To ensure the highest quality of painted door frames, before painting process they are coated with special material which constitues solid base.

APPLICATION

Adjustable door frame can be applied for interior door leaf - rebated version and to glass doors (ORC).

SET CONTAINS

Main beam (one horizontal and two vertical elements together with masking elements), door seal, set of hinges, all necessary components for the instalation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.


Door frames are packed in cardboard boxes.

Door frames used as a set with frame construction doors and door frames with size "90" and wider, should be equipped with three hinges. Door frames for glass door "ORC" are equipped with two hinges ø 15 mm, special latch plate and rubber seal strip.


2104*

2121**/ :


OR/ORC cross-section with T80 architrave



OR/ORC cross-section with T63 architrave




vertical cross-section of rebated door leaf with OR




vertical cross-section

2036





OR/ORC horizontal cross-section



for double-leaf doors

A B C D E** E* 100d 1035 1059 1079 1115 1219 1185 110d 1135 1159 1179 1215 1319 1285 120 1235 1259 1279 1315 1419 1385 130 1335 1359 1279 1315 1419 1385 140 1435 1459 1479 1515 1619 1585 150 1535 1559 1579 1615 1619 1685 160 1635 1659 1679 1715 1819 1785 160 1635 1659 1679 1715 1819 1785 170 1735 1759 1779 1815 1919 1885 180 1835 1859 1879 1915 2019 1985 190 1935 1959 1979 2015 2119 2085						101 000	ibic icu
110d113511591179121513191285120123512591279131514191385130133513591379141515191485140143514591479151516191585150153515591579161517191685160163516591679171518191785170173517591779181519191885180183518591879191520191985190193519591979201521192085200203520592079211522192185		Α	В	С	D	E**	E*
120123512591279131514191385130133513591379141515191485140143514591479151516191585150153515591579161517191685160163516591679171518191785170173517591779181519191885180183518591879191520191985190193519591979201521192085200203520592079211522192185	100d	1035	1059	1079	1115	1219	1185
130 1335 1359 1379 1415 1519 1485 140 1435 1459 1479 1515 1619 1585 150 1535 1559 1579 1615 1719 1685 160 1635 1659 1679 1715 1819 1785 170 1735 1759 1779 1815 1919 1885 180 1835 1859 1879 1915 2019 1985 190 1935 1959 1979 2015 2119 2085 200 2035 2059 2079 2115 2219 2185	110d	1135	1159	1179	1215	1319	1285
140143514591479151516191585150153515591579161517191685160163516591679171518191785170173517591779181519191885180183518591879191520191985190193519591979201521192085200203520592079211522192185	120	1235	1259	1279	1315	1419	1385
150 1535 1559 1579 1615 1719 1685 160 1635 1659 1679 1715 1819 1785 170 1735 1759 1779 1815 1919 1885 180 1835 1859 1879 1915 2019 1985 190 1935 1959 1979 2015 2119 2085 200 2035 2059 2079 2115 2219 2185	130	1335	1359	1379	1415	1519	1485
160163516591679171518191785170173517591779181519191885180183518591879191520191985190193519591979201521192085200203520592079211522192185	140	1435	1459	1479	1515	1619	1585
170173517591779181519191885180183518591879191520191985190193519591979201521192085200203520592079211522192185	150	1535	1559	1579	1615	1719	1685
180183518591879191520191985190193519591979201521192085200203520592079211522192185	160	1635	1659	1679	1715	1819	1785
190193519591979201521192085200203520592079211522192185	170	1735	1759	1779	1815	1919	1885
200 2035 2059 2079 2115 2219 2185	180	1835	1859	1879	1915	2019	1985
	190	1935	1959	1979	2015	2119	2085
* dimension reffer to door frame with T63 architrav	200	2035	2059	2079	2115	2219	2185
	* dime	nsion re	effer to	door fra	ame wit	h T63 a	architra

** dimension reffer to door frame with T80 architrave

for single-leaf doors

	Α	В	С	D	E**	E*	
60	600	624	644	680	784	750	
70	700	724	744	780	884	850	
80	800	824	844	880	984	950	
90	900	924	944	980	1084	1050	
100	1000	1024	1044	1080	1184	1150	
110	1100	1124	1144	1180	1284	1250	

ADJUSTABLE DOOR FRAMES WITH VARIABLE HEIGHTS AND ANGULAR ARCHITRAVE T80

By the fact of the interest expressed by our clients in doors of custom sizes, we have introduced to our offer collections of MODERN, PLUS and STANDARD 10 door leaf model with adjustable door frame equipped with angular architrave T80 in 3 additional heights.



APPLICATION


Adjustable door frame with variable heights with T80 architrave can be used for rebated door leaf STANDARD 10, MODERN and PLUS collections with three additional leaf height options: 1983mm, 2110mm and 2240mm.

SET CONTAINS

Main beam (one horizontal and two vertical elements together with masking elements), door seal, set of hinges, all necessary components for the instalation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.


Door frames are packed in cardboard boxes.


All rebated door frames in 3 additional height options should be equipped with 3 hinges.




Н	H1	H2	H3	H4	H5	Z3
1983	1969	1981	1991	2013	2061	1662
2110	2096	2108	2118	2140	2188	1789
2240	2226	2238	2248	2270	2318	1919

H - door leaf height H4 - required wall passage height





OR horizontal cross-section



D - required width of wall passage

for single-leaf do						
	А	В	С	D	E	
60	600	624	644	680	784	
70	700	724	744	780	884	
80	800	824	844	880	984	
90	900	924	944	980	1084	
100	1000	1024	1044	1080	1184	

for double-leaf do					
	A	В	С	D	E
120	1235	1259	1279	1315	1419
130	1335	1359	1379	1415	1519
140	1435	1459	1479	1515	1619
150	1535	1559	1579	1615	1719
160	1635	1659	1679	1715	1819
170	1735	1759	1779	1815	1919
180	1835	1859	1879	1915	2019
190	1935	1959	1979	2015	2119
200	2035	2059	2079	2115	2219

ADJUSTABLE DOOR FRAMES

CONSTRUCTION

Adjustable non-rebated door frame is made of a high-quality wood-based MDF board. On its visual side it is entirely coated with a decorative wood-imitation DRE-Cell veneer, 3D veneer, CPL laminate, natural veneer or painted**. Its construction allows to be used with door leaf with the thickness of 40 mm and its design allows for use on walls ranging between 75-320 also there is possibility for additional adjustment for +20 mm. In white mat colour there is possibility to choose connection of main beams at 90 degree.

**NOTE: To ensure the highest quality of painted door frames, before painting process they are coated with special material which constitues solid base..


APPLICATION

Adjustable non-rebated door frame can be used with all DRE non-rebated collections of the door leaf.

SET CONTAINS


Main beam (one horizontal and two vertical elements) with wide angular architrave (80 mm) with small rounding angles of the cross-section profile (R2), door seal, a set of hinges, all necessary components for the instalation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.






*075-095 door frame has a different cross section, for a 75-89 mm wall thickness, it will be necessary to shorten pen of the adjustable angle element.









	for single-leaf doors										
	А	В	С	D	E						
60	627	651	671	711	811						
70	727	751	771	811	911						
80	827	851	871	911	1011						
90	927	951	971	1011	1111						
100	1027	1051	1071	1111	1211						

			for do	uble-lea	f doors
	А	В	С	D	E
120	1274	1298	1318	1378	1458
130	1374	1398	1418	1478	1558
140	1474	1498	1518	1578	1658
150	1574	1598	1618	1678	1758
160	1674	1698	1718	1778	1858
170	1774	1798	1818	1878	1958
180	1874	1898	1918	1978	2058

ADJUSTABLE DOOR FRAMES

By the fact of interest expressed by our clients in non-rebated doors of custom sizes, we have introduced to our offer collections MODERN, PLUS and STANDARD 10 door leaf model with non-rebated adjustable door frame in 3 additional heights. Construction of the door frame is the same as in the non-rebated adjustable door frame (they vary only in height).

APPLICATION


Non-rebated adjustable door frame with variable heights can be used with non-rebated STANDARD 10 , MODERN and PLUS door leaf model which are available in three additional door leaf height options:1983 mm, 2110 mm and 2240 mm.

SET CONTAINS

Main beam (one horizontal and two vertical elements together with masking elements), door seal, set of hinges, all necessary components for the instalation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.

Door frames are packed in cardboard boxes.


All door frames in 3 additional height options can be equipped with 2 or 3 hinges.




*NOTE: 075-095 door frame has a different cross-section, for a 75-89 mm wall thickness, it will be necessary to shorten pen of the adjustable angle element.

H - door leaf height	H1	H2	H3	H4	H5	Z2	Z3
1983	1982	1994	2004	2019	2074	610	1657
2110	2109	2121	2131	2146	2201	651	1784
2240	2239	2251	2261	2276	2331	695	1914





ORB horizontal cross-section



D - required width of wall passage

		for single-leaf doors											
	Α	В	С	D	E								
60	627	651	671	711	811								
70	727	751	771	811	911								
80	827	851	871	911	1011								
90	927	951	971	1011	1111								
100	1027	1051	1071	1111	1211								

for double-leaf doors A В С D Ε 120 1274 1298 1318 1378 1458 1398 1418 1478 1558 130 1374 140 1474 1498 1518 1578 1658 150 1574 1598 1618 1678 1758 160 1674 1698 1718 1778 1858 1878 170 1774 1798 1818 1958 180 1874 1898 1918 1978 2058

£H


Ξ

Adjustable tunnel is a decorative cover of wall passage. It can be used as a seperate solution or as an integral part of the sliding wall-mounted system NT.

The adjustable tunnel is a product which is, at first glance visually similar to adjustable door frames, but with a few differences:


- » there is no possibility to mount any hinges
- » there is no latch strike plate
- » there is no channel for a gasket different heights and spans of the front and rear architraves (values E and F in tables)

vertical cross-section of adjustable tunnel with K63, N63 or T63




2102 2057 2057 2055 2035 2035 2035 2010

vertical corss-section of adjustable tunnel with T80



required height of wall opening 2067 mm



D - required width of wall passage *refers to Adjustable Tunnel with T80

Single adjustable tunnel

symbol	60	70	80	90	100
Α	600	700	800	900	1000
С	644	744	844	944	1044
D	664	764	864	964	1064
E	750	850	950	1050	1150
E*	784	884	984	1084	1184
F	734	834	934	1034	1134
F*	768	868	968	1068	1168

Double adjustable tunnel

symbol					
Α	1200	1400	1600	1800	2000
С	1244	1444	1644	1844	2044
D	1264	1464	1664	1864	2064
E	1350	1550	1750	1950	2150
E*	1384	1584	1784	1984	2184
F	1334	1534	1734	1934	2134
F *	1368	1568	1768	1968	2168



EXTENSION PANELS


APPLICATION

Extension panel it is a component of decorative cover of wall passage but also it can be used as extention to install door frames in walls, which are thicker than 320mm. Panel is an extention of middle parts of adjustable door frames and adjustable tunnels. It might be used together with architraves from previous orders of door frames and adjustable tunnels with connection of main beams at 45 degree.


Extention panels with variable heights are available only in Cell and CPL group.

SET CONTAINS


- » two vertical beams
- » horizontal beam
- » three connecting pens
- » accessories used to connect main beams











EXTENSION PANELS

Dimensions of extension panels OR - adjustable door frames for rebated doors

	height options		height options					fo	or single-	leaf doo	rs						for doul	ole-leaf o	loors				
	PL	198x	211x	224X		"60"	"70"	"80"	"90"	"100"	"110"	"100d"	"110d"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	"190"	"200"	
HŚ	2029	1969	2096	2226	А	600	700	800	900	1000	1100	1035	1135	1235	1335	1435	1535	1635	1735	1835	1935	2035	
HC	2051	1991	2118	2248	С	644	744	844	944	1044	1144	1079	1179	1279	1379	1479	1579	1679	1779	1879	1979	2079	

Dimensions of the ORB extension panels^{connected at 45} degree - non-rebated adjustable door frames for non-rebated doors connected at 45 degree

	height options						for sir	ngle-leaf	doors				for do	uble-leaf	doors		
	PL	198x	211x	224X		"60"	"70"	"80"	"90"	"100"	"120"	"130"	"140"	"150"	"160"	"170"	"180"
HŚ	2042	1982	2109	2239	А	627	727	827	927	1027	1274	1374	1474	1574	1674	1774	1874
HC	2064	2004	2131	2261	С	671	771	871	971	1071	1318	1418	1518	1618	1718	1818	1918

Dimensions of TUN extension panels - adjustable tunnels

					for sir	ngle-leaf	doors		for double-leaf doors					
	PL			"60"	"70"	"80"	"90"	"100"	"120"	"140"	"160"	"180"	"200"	
НŚ	2035		А	600	700	800	900	1000	1200	1400	1600	1800	2000	
HC	2057	1	С	644	744	844	944	1044	1244	1444	1644	1844	2044	

Dimensions of the ORC extension panels - adjustable door frames for glass doors

	PL]		"60"	"70"	"80"	"90"
HŚ	2035		A	600	700	800	900
HC	2057		С	644	744	844	944

Dimensions of the ORS extension panels - adjustable door frames for folding doors

-					-
	PL		"80"	"90"	"100"
НŚ	2029	А	806	906	1006
HC	2051	С	850	950	1050

width options cross-section of the panel

Х	
062	
082	
107	
127	
147	
167	
187	
207	
227	
247	
267	
287	



STANDARD 10 - with extension panel in CPL laminate, dark gray

HYBRID STEEL DOOR FRAME



brown mat + honey oak CPL

dark gray mat + dark gray CPL


* exemplary colour configurations of steel door frame with panel



Steel hybrid door frame - it is an innovative solution in our sale offer, which combine solidity of metal construction with additional functionality which allows to fully finish wall passage using door frame elements made of MDF, coated with CPL laminate. Hybrid metal door frame it is combination of metal door frame with fixed width, MDF panel available in 11 optional variants of width and masking architrave. This solution allows to finish walls with thickness ranging between 137-357 mm, and additional possible adjustment up to 20 mm.

APPLICATION:

Hybrid door frame is intended to be used with entrance doors Solid and Enter model (it is equipped with 4 holes for latch bolts and multi point latch lock used in SOLID model) it can be succesfully used as a complementary product with interior rebated doors - with notification that, MDF panel part is available only in CPL laminates. Assembly of the door frame is to be done on ready floor level.



STEEL ADJUSTABLE DOOR FRAME

DOOR FRAME CONSTRUCTION

Adjustable steel frame is made of low-carbon steel sheet with a thickness of 1.5 mm. Vertical element and lintel they are permanently welded together. Door frame is powder coated and available in colours from RAL pallet: 9003-white, 8017-brown, 1001-beige, 7047-light gray, 7024-dark gray in two gloss scale (mat / low structure, semi-gloss / plain). Both external side and internal side of door frame are secured with lacquered organic protective surface. On its one side there are made 4 holes for latch bolt and bolts installed

in entrance DRE doors, and on the opposite side there are 3 sockets for hinges and anti-thrust bolts.

APPLICATION


Metal door frames can be applied to interior entrance doors ENTER and SOLID.


» sockets for latch bolts of multi-point lock used in SOLID model


STANDARD OPTION

» sockets for 3 hinges


» additional sockets for anti-thrust bolts








Adjustable metal door frame profile with architrave T57







required height of wall opening 2073 mm height of door frame passage is 2027,5 mm D - required width of wall passage

	А	В	С	D
"80"	800	827	919	890
"90"	900	927	1019	990
"100"	1000	1027	1119	1090

wall th	ickness		f the door profile
Cmin	Cmax	Lmin	Lmax
95	125	124	154
125	155	154	184
155	185	184	214
185	215	214	244
215	245	244	274
245	275	274	304
275	305	304	334

STEEL DOOR FRAME

CONSTRUCTION

Metal welded door frame is made of steel low carbon sheet with 1,5 mm thickness.

Door frame is powder coated and available in colours from RAL pallet: 9003-white, 8017-brown, 1001-beige, 7047-light gray, 7024-dark gray in two gloss scale (mat / low structure, semi-gloss / plain). Both external side and internal side of door frame are secured with lacquered organic protective surface.

On its one side there are made 4 holes for latch bolt and bolts installed in entrance DRE doors, and on the opposite side there are 3 sockets for hinges and anti-thrust bolts.

APPLICATION

Metal door frames can be applied to interior entrance doors ENTER and SOLID. It is intented to be installed on finished floor level.


STANDARD OPTION

- » sockets for 3 hinges
- » additional sockets for anti-thrust bolts

Metal door frame profile

» sockets for latch bolts of multi-point lock used in SOLID model






vertical cross-section

State of the state

vertical cross-section optional assembly method



** required height of wall passage measured from the level of finished floor is 2086 mm or 2071* mm in optional assembly method

height of door frame passage is 2027,5 mm

D, D*- required width of wall passage * optional assembly method

	А	В	С	D	D*	F
"80"	800	827	870	917	887	897
"90"	900	927	970	1017	987	997
"100"	1000	1027	1070	1117	1087	1097







handle MEDA - shiny chrome inserts in DRE-Cell, 3D and CPL colours



backplate for simple key



backplate for

cylinder lock



backplate for toilet lock

SELECTED COLOURS OF INSERTS



white insert



golden oak insert



walnut insert



siberian oak insert



sand oak insert



elm tabac insert



american walnut insert



polish oak 3D insert



welsh oak CPL insert



concrete 1 CPL insert



elm anthracite insert



dark wenge insert



grand oak insert



walnut CPL insert



oak vintage insert



elm insert



gray oak CPL insert



celini walnut CPL insert



TOTAL door handle - shiny chrome



door handle TOTAL - matt brushed nickel



door handle IBIZA - white matt



NEW

door handle IBIZA - black matt



door handle CUBE - shiny chrome



door handle CUBE - brushed nickel



door handle CUBE - black matt



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



door handle MONDO - nickel satin



door handle TREND - satin nickel



door handle PRIMA - nickel satin



door handle LINEA - shiny chrome



door handle LINEA - nickel satin



NEW

door handle VENUS - black matt



door handle ZORBA - shiny chrome/satin



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



door handle FEBE - brushed nickel



door handle JOWISZ - stainless steel



door handle NOVA - stainless steel



door handle PROXIMA - stainless steel



door handle TOPAZ - stainless steel



door handle TOPAZ - stainless steel, black matt



door handle ONYX M - stainless steel



backplate for simple key lock



backplate for

simple key



backplate for cylinder lock



backplate for toilet lock



backplate for

cylinder lock



backplate for toilet lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for toilet lock



backplate for toilet lock

toilet lock



backplate for

backplate for toilet lock



backplate for toilet lock





backplate for simple key

backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



NEW



door handle LUNA - brushed chrome



door handle LUNA - glossy brass



door handle IBIZA - graphite / chrome



handle IBIZA - nickel satin



door handle IBIZA - silver satin



door handle BETA - nickel satin



door handle EUROPA - nickel satin



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for

cylinder lock

backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock







door handle ONYX - nickel / satin



door handle QUANTA - nickel - satin



door handle WARNA - nickel satin



door handle FENIKS - chrome mat



door handle PEM - matt chrome



door handle TOM - matt chrome



door handle APUS - matt nickel



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



door handle FOKUS - nickel satin velvet



door handle JANE - painted nickel



door handle UNO - stainless steel



door handle ROMANA - chrome / nickel lacquered



door handle MINIMAL - painted nickel



door handle QUBIK - nickel lacquered



door handle LIBRA - satin nickel



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for simple key



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for cylinder lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock



backplate for toilet lock

exterior backplate Interior backplate Interi

handle METRO (span 72 mm) stainless steel for cylinder lock upper backpate METRO stainless steel for cylinder lock NOTE: selection of left or right door handle*. Do andle in set with backplate is adapted to door leaf SOLID with two locks.

exterior TOTAL door handle with oblong backplate (span 72 mm) inox plus

ZORBA door handle with oblong

backplate for cylinder lock - shiny

chrome/satin (span 72 mm)





ZORBA door handle with oblong backplate - shiny chrome / satin



door handle ZORBA with oblong

backplate for simple key - shiny

chrome / satin (72 mm spacing)



ZORBA door handle with oblong backplate - shiny chrome / satin (span 72 mm)

short upper backplate TOTAL

(span 72 mm) inox plus



PEGAZ door handle (span 72 mm) Nickel mat for cylinder lock



TOM door handle with oblong backplate for cylinder lock (span 72 mm) matt chrome




technical handle STAR TEC - class IV stainless steel matt price for a set (handle + backplate for cylinder lock)




backplate for cylinder lock

VENEER COLOURS



VENEER COLOURS



NOTE: Due to different manufacturing technology:

» LACK and ASCADA door leaf collection - lacquered HDF board

» door frames, architraves , Finish quarter rounds, glazing bars -coated with Finish decor

» door leaf edges - edge banding

There are colour differences between those elements.

* available only in frame construction door leaf SINCO

 * available only in panel construction door leaf DUO

GLASS PANE PATTERNS

pattern 1 VETRO



pattern 1 VETRO decormat



pattern 1 VETRO decormat brown



pattern 1 VETRO decormat graphite



pattern 2 VETRO



pattern 3 VETRO

pattern 4 VETRO





pattern 5 VETRO

pattern 14 VETRO



pattern 10 VETRO



pattern 15 VETRO



pattern 11 VETRO

pattern 12 VETRO

pattern 13 VETRO

GLASS PANE PATTERNS



mat dre



decormat brown



chinchila

PRICES



decormat graphite




window blind



white bark

Prices and availability of glass pane in particular models are presented on pages reffered to the specific door leaf. Glass panes in our collections have obverse and reverse sides.

ARCHITRAVES AND SKIRTING BOARDS



VENTILATION ACCESSORIES AND

VENTILATION SLEEVES FOR PANEL DOORS

There is possibility to purchase a set (5 pcs) of ventilation sleeves. DRE-Cell Decor, 3D veneer, CPL laminate and Finish veneer - white, oak, calvados, brown, silver, grey/. NATURA - satin silver, satin gold, silver, gold.




VENTILATION SLEEVES FOR FRAME CONSTRUCTION DOOR LEAF

For frame construction door leaf, except VETRO, it is possible to use metal or plastic ventilation sleeves (3 sleeves for "60", 4 sleeves for "70", 5 sleeves for "80" - "100")




VENTILATION UNDERCUT Ventilation undercut can be applied in models of all collections (except of VETRO D, SOLID, SOLID RC2, ENTER, fire-resistant doors, sliding doors, folding doors). Ventilation undercut can be applied

upon customers request.





DOOR LEAF DIMENSION AND PLACEMENT OF HINGES



** Olimp El60 two options of hinges (depending on the width of the door)

DOOR LEAF WIDTH

Symbol of the door dimension	S	SW	SWSE	SWS
"60"	644	618	-	-
"70"	744	718	-	-
"80"	844	818	824	824
"90"	944	918	924	924
"100"	1044	1018	-	1024
"110*"	1144	1118	-	-

S - total door leaf width SW - width in the rebate (refers to rebated door leaf) SWSE - width in the rebate of Sara Eco door leaf SWS - width in the rebate of folding door leaf * - width "110" available only in Standard 10, Athos and Olimp door leaf

NOTE: Total width of "40" side panels is 444 mm.

ADDITIONAL WIDTH OF THE OLIMP DOOR

Symbol of the door dimension	S	SW
"90E" for OLIMP EI30	959	933
"90E" for OLIMP EI60	969	943

DIMENSIONS OF THE DOOR LEAF WITH 4 VARIABLE HEIGHTS

(refers to door leaf STANDARD 10 and collections MODERN and PLUS)

Н	H1	нк	HZ	HZ2	HZ3	
1983	1970	850	1672	606	1653	
2043	2030	910	1732	626	1713	
2110	2097	977	1799	647	1780	
2240	2227	1107	1929	691	1910	

H - total height of the door leaf H1 - door leaf height in the rebate HK - distance form the top rebate o

 $\rm HK$ - distance form the top rebate of door leaf to the axis of the handle $\rm HZ$ - distance from the upper edge of the door leaf to the mounting point of the third hinge

DOOR LEAF HEIGHT

2043 mm - total height of rebated and non-rebated door leaf (2010 for folding doors)

2030 mm - total height of door leaf in rebate (2033 for Sara Eco rebated door leaf, 2000 for folding doors)

1983, 2043, 2110, 2240 mm - total possible height of STANDARD 10 door leaf and MODERN and PLUS collection (1970, 2030, 2097, 2227 mm - measured in the door leaf rebate)

SHORTENING OF DOOR LEAF

There is possibility to shorten door leaf by your own, up to 60 mm (there is no possibility to shorten following door leaf: VETRO, FIRE RESISTANT DOORS, FORCA B, ENTER, SOLID, SOLID RC2, door leaf with dropping seal, door leaf of all collections in the sliding version, inactive door leaf, glass doors and folding doors).

CLEARANCE BETWEEN DOOR LEAF AND FLOOR

tandard clearance between door leaf and finished floor is 8 mm high (15 mm in FOLDE door leaf, 5-6 mm in OLIMP door leaf).

NOTES REFERED TO HINGE

In rebated door leaf: frame construction doors, entrance (Enter, Solid) and in the other collections with size wider than "90", 3 screw-in pivot hinges of ø 13,5 mm are mounted. For other interior rebated leaves, there is possibility to choose 2 or 3 hinges.

In SOLID RC2, FORCA, FORCA B, ATHOS and OLIMP EI30 door leaf there are mounted 3 threefold hinges.

The OLIMP EI60 leaves, depending on the width, are equipped with 3 three-part hinges or 3 SIMONSWERK hinges VX 7939/160. Non-rebated door leaf come with pre-milled sockets for two or three hidden concealled hinges which are attached together with non-rebated door frame.

Sara Eco rebated and non-rebated door leaf come with pre-milled sockets for 2 concealed hinges that are attached together with the door frame.

Folding doors come with 3 hidden concealed hinges which join two parts of door leaf.

Non-rebated door leaf

edge

magnetic


hinge concealed

hinge



without rebate







hinge screw-in

threefold hinge



threefold hinge

SIMONSWERK VX 7939/160 hinge

DOOR LEAF THICKNESS AND SELECTION OF PATENTED CYLINDER

Door leaf type	Door leaf thickness	proportion in the door leaf	reccommended** dimension of the	Refers to patented cylinder with door knob		
		(W0/Z0)	patented cylinder (W/Z)	Patented cylinder with a door knob inside (W/Z)	Patented cylinder with a door knob outside (W/Z)	
rebated door leaf	40	14 / 26	25 / 40 26 / 36 26 / 41 30 / 40	25G / 40 26G / 36 26G / 41 30G / 40	25 / 40G 26 / 36G 26 / 41G 30 / 40G	
rebated door leaf Sara Eco	40	24 / 16	35 / 30 36 / 26 36 / 31 40 / 30	35G / 30 36G / 26 36G / 31 40G / 30	35 / 30G 36 / 26G 36 / 31G 40 / 30G	
Non-rebated door leaf	40	20 / 20	31 / 31 30 / 30 35 / 35	31G / 31 30G / 30 35G / 35		
Non-rebated door leaf Sara Eco	40	16 / 24	30 / 35 26 / 36 31 / 36 30 / 40	30G / 35 26G / 36 31G / 36 30G / 40	30 / 35G 26 / 36G 31 / 36G 30 / 40G	
Folding doors	40	17/23	30/35 31/36 30/40	30G / 35 31G / 36 30G / 40	30 / 35G 31 / 36G 30 / 40G	
fire resistance Athos Olimp El30	50	21 / 29	31 / 41 35 / 40 36 /41	31G / 41 35G / 40 36G / 41	31 / 41G 35 / 40G 36 / 41G	
Olimp EI60	60	31 / 29	41 / 41 45 / 40 46 / 41	41G / 41 45G / 40 46G / 41	41 / 41G 45 / 40G 46 / 41G	
fire resistance FORCA	50	22 / 28	35 / 40			
SOLID RC2	40,6	14 / 26,6	26 / 41 30 / 40			

Patented cylinders are reversible - that is 25/40 = 40/25, 26G/36 = 36/26G

**reccommended dimensions (assuming that backplate is 10 mm thick, and patented cylinder doesnt exceed 5 mm above backplate).





fig. selection of patented cylinder dimension with door knob



Dimension of patented cylinder is calculated using the following formula:

WO + backplate thickness + 2÷3mm / ZO + backplate thickness + 2÷3mm

where:

WO and ZO - values have been presented in the table above thickness of the backplate - measured (presented values in above table assume that backplate is 10mm thick)


Selection of backplate with door knob - if we want to mount a knob on:

- the inner side of door leaf - symbol of the door knob must be next to "W" dimension (see column 5 in the table)


- the external side of the leaf - symbol of the door knob must be next to "Z" dimension (see column 6 in the table)

SINGLE LEAF REBATED DOOR

We offer left, right and central door leaf



hinges are located on right side when viewing from hinges sight



hinges are located on left side when viewing from hinges sight



without locks and hinges

DOUBLE LEAF REBATED DOOR


We offer double leaf doors: the right - then right door leaf becomes an active one and left door leaf becomes inactive, and double left leaf - left leaf is an active one and the right one is inactive.


An active door leaf has a rebate and a lock as a standard option. In double leaf door there is available only straight edge.

Inactive door leaf comes with a "counter rebate" and additionally is equiped with a latch strike plate and a flush bolt as a standard fitting (A)



flush bolt (A)






Only door frames produced by DRE fit double-leaf doors, that is the reason that we reccomend to our customers to buy doors as a complementary sets. Whole DRE set comprises of 2 door leaf and door frame.




Symbol	dimen	sion in [mm]
of door dimension	S2	S2W	combination* Sc+Sb
"100d"	1078	1052	644+444
"110d"	1178	1152	744+444
"120"	1278	1252	844+444; 644+644
"130"	1378	1352	944+444; 744+644; 644+744
"140"	1478	1452	1044+444; 844+644; 744+744; 644+844
"150"	1578	1552	944+644; 844+744; 744+844; 644+944
"160"	1678	1652	1044+644; 944+744; 844+844;
			744+944; 644+1044
"170"	1778	1752	1044+744; 944+844; 844+944; 744+1044
"180"	1878	1852	1044+844; 944+944; 844+1044
"190"	1978	1952	1044+944; 944+1044
"200"	2078	2052	1044+1044
combination* po	ossible com	bination o	f active (Sc) and inactive (Sb) leaf width

NON-REBATED DOOR LEAF - SLIDING VERSION

We offer left, right and central door leaf (door leaf without a lock and handle)






when active leaf is equipped with lock non-active leaf is equipped with latch strike plate

SINGLE DOOR LEAF NON-REBATED

We offer left, right and central door leaf



centra door leaf

without locks and hinges

hinges are located on the left side


side

when viewing from the side of the room (door leaf unit is opened towards opening direction)

DOUBLE LEAF NON-REBATED DOOR

We offer double leaf doors: the right - then right door leaf becomes an active one and left door leaf becomes inactive, and double left leaf - left leaf is an active one and the right one is inactive.

An active door leaf hos lock as a standard option. Inactive door leaf is equiped with a latch strike plate and a flush bolt as a standard fitting.



 * for double lef non-rebated doors there is possibility to purchase cover stripe width of cover stripe 30 mm




Symbol of door	dimension in [mm]			
dimension	S 2	combination* Sc+Sb		
"120"	1291	644+644		
"130"	1391	744+644; 644+744		
"140"	1491	844+644; 744+744; 644+844		
"150"	1591	944+644; 844+744; 744+844; 644+944		
"160"	1691	1044+644; 944+744; 844+844;		
		744+944; 644+1044		
"170"	1791	1044+744; 944+844; 844+944; 744+1044		
"180"	1891	1044+844; 944+944; 844+1044		
combination* - possible combination of active (Sc) and inactive (Sb) leaf width				

CONSTRUCTION OF PANEL DOORS


- » door leaf frame made of coniferous wood or MDF
- » Core: stabilizing insert "honeycomb" (A), perforated chipboard (B) and in fire proof doors: chipboard
- » external board HDF 3 mm or external board HDF 4 mm (Finea, Finea B, ENTER, SOLID)
- » type of edge "karnies", straight or without rebate

External boards of door leaf is finished with: a) in LACK, ASCADA collection - lacquered HDF board b) in DRE-Cell veneer - decorative foil based on the polypropylene c) in 3D veneer - 3D foil based on decorative paper d) in CPL laminate - 0,15 -0,2 mm or 0,8 mm thick in natura collection - natural veneer, secured with cured varnisch in UV technology

Fire resistant door leaf Olimp EI30





Fire resistant door leaf Olimp EI60



Anti-burglary door and fire-resistant door leaf Forca EI30









(A) stabilising insert "honeycomb"



(B) perforated chipboard


FRAME CONSTRUCTION DOORS (IS NOT REFFERED TO VETRO A,B,C,D,F)

Frame construction door leaf is entirely made of MDF: vertical stiles are made of 40 mm MDF (except TIZANO and TIXA) horizontal rails (exterior)are made of 35 mm MDF horizontal rails (interior):


- 22 mm MDF in door leaf models Auri, Piano, Even, Premium, Fosca, Sinco, Dova, Reva, Solte, Tizano, Tixa, Triesta*, Ena*, Verano* and Emena* (* in Ena 1-2, Triesta 1-2, Emena 1-2, Verano 1-2, collections horizontal rail is made of 35 mm MDF - it reffers to rail located next to large glass pane. While in models Ena 3-5, Verano 3-5, Emena 3-5 and Triesta 3 such a construction is reffered to two rails located next to large glass pane.

35 mm MDF in door leaf models Nestor, Elsa, Lexa, Scala, Trevi, Berge.


Horizontal cross-section of door leaf Auri, Emena, Verano, Piano, Premium, Fosca, Sinco, Ena, Even, Trio, Dova, Reva, Solte



Horizontal cross-section of ELSA



Hirozontal cross-section of Tizano, Tixa



FILLINGS OF FRAME CONSTRUCTION DOOR LEAF:

Scala A; Sinco - 4 mm glass pane, flat 4 mm HDF board Scala B - 4 mm glass pane, 19 mm MDF profiled board

Elsa A - 4 mm glass pane, flat 4 mm HDF board

Elsa B - 4 mm glass pane, 19 mm MDF profiled board

Premium 1-3 - 4 mm glass pane

Premium 4-7, 12 - 4 mm glass pane, 4 mm HDF marquetries made in door leaf colour Premium 8-11, 13 - 4 mm glass pane, 4 mm HDF marquetries coated with silver laminate

Piano 1-6 - 4 mm glass pane, 16 mm MDF profiled board

Piano 9-12 - 4 mm glass pane, 19 mm MDF profiled board

Fosca 1-3 - 4 mm glass pane, 4 mm HDF board coated with silver laminate

Fosca 4-6 - 4 mm HDF board coated with veneer in door leaf colour

Nestor, Lexa, Trevi, Berge - 4 mm glass pane, 19 mm MDF profiled board


Ena, Triesta, Auri, Verano, Emena, Even, Tizano, Tixa, Dova, Reva, Solte - 4 mm glass pane

Horizontal cross-section of Ena, Verano, Emena and Triesta (cross-section reffers to rail located next to large glass pane)


straight edge




Horizontal cross-section of Nestor, Lexa




Horizontal cross section of the door leaf Scala, Trevi, Berge



profile of 19 mm MDF board (Scala B, Trevi, Piano 9-12, Elsa B, Nestor, Lexa, Berge)




profile of 16 mm MDF (Piano 1, 2, 5, 6)



KICK PLATES

Kick plates so called "OKOPNIKI" it is finishing solution for selected panel door models with straight edge. We offer door leaf covered with thin 0.6 mm metal sheets made of stainless steel optional bottom and middle panels. It is also possible that both of panels are instaled at the same time on the selected door leaf. Height of the panel is 300 mm. Door leaf with kick plates must be filled with perforated chipboard.



There is possibility to order door leaf with bottom panel and ventilation undercut.

NOTE: If you wish to place an order, please contact the Customer Service Department.

REMAINING TECHNICAL INFORMATIONS:

1. While maintaining standard dimensions of door leaf and door frame, clearance between "finished" floor and bottom edge of the door leaf is 8 mm. In order to reduce clearance, door frame should be appropriately shortened at the bottom (it doesnt reffer to FOLDE and OLIMP)

2. Note! Prior to the purchase and assembly of construction woodwork, check whether the selected type of joinery meet technical requirements of the project and technical drawings, it is particulary necessary to make sure that the construction of walls and ceilings allows for the mounting of construction woodwork of weight specified in the table below:

	door leaf			DOOR FRAMES		other products	
	interior	entrance	fire-resistance	adjustable	fixed	Adjustable tunnel	Sliding system
M a x weight	50 kg*	50 kg*	105 kg*	40 kg	20 kg	40 kg	20 kg

* max weight of single door leaf

3. Door leaf is wrapped in shrink film and the edges are additionally protected with Styrofoam or cardboard inserts.

4. Price of door leaf does not include door handles, backplates and patented cylinders (with the exception of SCALA A and B collections in rebated and non-rebated versions in DRE-Cell veneer and 3D veneer also excluding NESTOR and ELSA collections in rebated and non-rebated version in DRE-Cell veneer, where handle and backplate come free-of-charge).

5. It is possible to purchase doors and door frames CENTRA (in this option there is no sockets for the lock and hinges - option is not available for fire doors, ENTER/SOLID, SOLID RC2, Sara Eco, FOLDE) at a price of a similar product equipped with hardware and pre-milled sockets. CENTRA door frames come with door seal. Set does not include hardware.


6. Under the current regulations, doors to the bathroom, wash room and a separate toilets must be opened to the outwards have width of at least 0,8 meter and height of 2 meter and also have on the bottom part openings with their total surface not smaller than 0,022 m2, in order to fulfill correct air circulation. Door ventilation surface is the sum of the available ventilation components: ventilation grille (ensures the ventilation surface of 0.022 m2 in all widths of doors) or ventilation undercut or ventilation sleeves, and the surface of the ground clearance between door leaf and the floor.

Symbol of		ventilation eves	doors with ventilation undercut		
Symbol of door leaf dimension	ventilation surface of sleeves and the clearance 8 mm [m2]	required clearance to meet ventilation requirements [in mm]	ventilation surface of the undercut and the clearance 8 mm [m2]	required clearance to meet ventilation requirements [in mm]	
"100"	0,011	19*	0,033	0	
"90"	0,010	21*	0,029	1	
"80"	0,009	24*	0,025	4	
"70"	0,008	28*	0,021	14*	
"60"	0,007	33*	0,018	35*	

Ensuring ventilation surface for rebated doors**

Ensuring ventilation surface for Sara Eco doors and all non-rebated doors

Symbol of		ventilation eves	doors with ventilation undercut		
Symbol of door leaf dimension	ventilation surface of sleeves and the clearance 8 mm [m2]	required clearance to meet ventilation requirements [in mm]	ventilation surface of the undercut and the clearance 8 mm [m2]	required clearance to meet ventilation requirements [in mm]	
"100"	0,0112	19*	0,033	0	
"90"	0,0104	21*	0,029	1	
"80"	0,0096	23*	0,025	4	
"70"	0,0082	27*	0,021	12*	
"60"	0,0074	32*	0,018	31*	



The above - stated required clearance height of the space under the door assures total ventilation surface of 0.022 m2.

The standard clearance for door leaf is 8mm high.

* it is necessary to increase the clearance to the specified height by shortening door leaf at the bottom (when such a shortening is possible - see**)

** Exceptions that are not included in the table (door leaf that can not be shortened):

- collection Vetro A and C - the use of ventilation undercut in the door with a width of "80" - "100" and a standard ground clearance of the door (8 mm) will fulfill ventilation requirements.


- collections Vetro B and D - do not meet ventilation requirements.

- sliding door leaf - due to design of the sliding system (distance from the wall/tunnel - about 12 mm), door leaf meet ventilation requirement without need for additional options.

there is no possibility to shorten double leaf doors and folding doors FOLDE.

VENTILATION UNDERCUT


standard ventilation undercut



ventilation undercut in door leaf with natural veneer with "70" - "90" width



ventilation undercut in door leaf Vetro A and C



ventilation undercut in door leaf Vetro B





GALA 1 decormat, GALA 2 sandblasted glass, transparent stripes

Prices in catalog are stated in PLN. The pricelist is valid from 01/04/2019.

Producer provides 24 months of warranty for door leaf and door frames.

pictures and visualisations used in the catalog prestent door leaf in the width of 80 cm (it doeasnt reffer to side panels). In the case of other door leaf widths, the proportions of the placement of the design of the collection, glazing, frames, millings, graphics will change. More technical informations and informations refered to assembly process are available in product guarantee card.

This product catalogue shall not constitute an offer under the regulations of the Civil Code and is published only for information purposes. Information provided in this catalogue was up-to-date on the day the catalogue was published. Due to the company policy of constant development DRE reserves the right to introduce (without prior notice) of changes to technical parameters, equipement, extended warranty conditions and product specification. The actual colours may vary from the colours printed in this catalogue. We reserve the right to errors in print.

Technical approvals:

Technical Approval ITB AT-15-6243/2015 (rebated interior doors) National Technical Assessment ITB-KOT-2019/0860 issue 1 (sliding system) Technical Approval ITB AT-15-8693/2011 (non-rebated interior doors) Technical Approval ITB AT-15-9248/2014 (SARA ECO doors) National Technical Assessment ITB-KOT-2018/0633 release 1 (FORCA, ATHOS fire doors) Technical Approval ITB AT-15-8359/2010 (glass doors) Technical Approval ITB AT-15-9673/2016 (folding doors and sliding system glass doors) National Technical Assessment ITB-KOT-2017/0011 edition first (ENTER/SOLID/SOLID RC2) National Technical Assessment ITB-KOT-2018/0407 issue 1 (OLIMP)







82-300 Elbląg - Gronowo Górne, ul. Nefrytowa 4 Headquarters: phone 55 236 42 58 Customer service department: phone 55 236 42 42 to 48 fax 55 236 42 51 Marketing department: phone 55 236 42 40 working hours: 8:00 - 16:00 e-mail: dre@dre.pl, eksport@dre.pl www.dre.pl

DYSTRYBUTOR